

ALIETTE[®] WG

Net contents : 1 kg

Fungicide

A systemic fungicide for the control of Phytophthora in ornamentals, certain applications in apples and non bearing apples, avocados, citrus and kiwifruit.

Contains: 800 g/kg fosetyl aluminium in the form of water dispersible granules

Registered pursuant to the ACVM Act 1997, No P002984
See www.foodsafety.govt.nz for registration conditions.

Approved pursuant to the HSNO Act 1996, No HSR000483
See www.epa.govt.nz for approval conditions



A handwritten signature in blue ink, appearing to be "John G. ...".

03/12/2019

DANGER
KEEP OUT OF REACH OF CHILDREN
HSNO Classifications:



- 6.1E May be harmful if swallowed.
- 6.3B Causes mild skin irritation.
- 8.3A Causes serious eye damage
- 9.1C Harmful to aquatic life with long lasting effects

PRECAUTIONS:

- Read label before use.
- Do not eat, drink or smoke while using this product.
- Remove protective clothing and wash hands and face thoroughly before meals and after work.
- Avoid contact with the skin and eyes
- Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area.
- Do not apply directly into or onto water.

PERSONAL PROTECTION:

When handling, wear full protective clothing such as impervious gloves, respirator, waterproof hat, coat and trousers (worn outside rubber boots).

STORAGE: Store in original container tightly closed and in a locked dry, cool, well-ventilated area, away from foodstuffs.

SPILLS AND DISPOSAL: When dealing with spills wear personal protective clothing and equipment as described in the PERSONAL PROTECTION section.

Contain the spill by damming, recover spilt product by absorbing with sawdust or an inert absorbent material then transfer the recovered spilt material to a properly labelled drum. Deal with all spillages immediately. If contamination of drains, streams, watercourses, etc. is unavoidable, warn the local water authority.

Disposal: Dispose of this product only by using according to the label or at an approved landfill. Avoid contamination of any water supply with product or empty container.

Container Disposal: Triple rinse container and add residue to mixture. Take to an Agrecovery collection site.

FIRST AID:

If swallowed, do NOT induce vomiting. For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If skin contact occurs, remove contaminated clothing and flush skin with running water. If splashed in eyes, wash out immediately with water, if irritation persists get medical advice. If inhaled, move the victim to fresh air immediately.



03/12/2019

Aliette® WG is a systemic fungicide recommended for use as a foliar spray to control *Phytophthora* in ornamentals, certain applications in apples and non-bearing apples, avocados, citrus and kiwifruit.

It is an offence to use this product on animals.

DIRECTIONS FOR USE:

MIXING: Add the required amount of **Aliette® WG** to clean water in the spray tank. Ensure thorough mixing before spraying.

RESISTANCE MANAGEMENT

Group	33	Fungicide
-------	----	-----------

Aliette® WG contains fosetyl aluminium from the Phosphonates group of fungicide (Group 33). Resistance to this fungicide and related products could develop in some pest situations from repeated use. To minimize this risk, use strictly in accordance with label instructions.

RECOMMENDATION:

DIRECTIONS FOR USE:			
Recommended Uses: Foliar sprays			
Crop	Rate	Timing	Comments
Ornamentals Non-bearing: -Apples -Avocados -Kiwifruit -Citrus	250- 500g/litres	Apply at monthly intervals particularly during periods of high disease pressure in the spring & autumn.	Use the lower rate as a preventative treatment and the higher rate if plants are already showing signs of <i>Phytophthora</i> infection.
Apples	250g/100 litres	Apply 2 sprays at 28-day intervals in the spring. A further 1-2 spray should be applied at monthly intervals after harvest.	Spring application should not be applied until plants have sufficient foliage cover to absorb the material. Spring treatments protect plants over the late spring-early summer period. Autumn applications should be made after harvest prior to leaf fall. These provide protection to plants over the autumn, winter and early spring period.

Apply through any standard sprayer capable of giving uniform coverage. **Aliette® WG** is recommended as a high volume foliar spray applied to the point of run off.



[Signature]
03/12/2019
RESTRICTED

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

WITHHOLDING PERIOD:

Apples - 100 days

Additional Information

Aliette® WG has proven to be safe on a range of ornamentals and fruit crops, however, growers are advised to test for plant safety on more sensitive or less common ornamentals prior to widespread use.

Aliette® WG should be used as a preventative treatment. Although the chemical does possess some curative properties, these may be insufficient to control severe infections.

Aliette® WG is both foliage and root absorbed.

Aliette® WG is very rapidly absorbed into the foliage and translocated throughout the plant. Badly affected plants may have insufficient leaf area to absorb sufficient chemical and be suffering severe root damage beyond the point of recovery.

Removal of infected plants and improvements to drainage will aid the long-term control programme in the nursery.

CONDITIONS OF SUPPLY: READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING. IF THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE UNOPENED.

To the extent permitted by law Bayer does not accept any liability or responsibility whatsoever for any loss, damage or injury whether direct, indirect or consequential howsoever arising in connection with these goods, including without limitation their storage, application, handling or use. Bayer does not make any warranties (express or implied) with respect to fitness for purpose, merchantable quality or any other matter.

To the extent only that Bayer is prevented by law from contracting out of the Consumer Guarantees Act, then these conditions apply subject to that Act. The Act shall not apply where these goods are acquired for business purposes.

Date of Manufacture:

Batch No:

Aliette® is a registered trademark of the Bayer Group

Registered to:
Bayer New Zealand Limited
3 Argus Place, Hillcrest, Auckland 0627

Ph. 0800 428 246
EMERGENCY RESPONSE SERVICE (24 hrs) 0800 734 607

Bayer



03/12/2019

