

Aviator Xpro[®]

Net contents : 5 L/15 L/20 L

Fungicide

Systemic fungicide for the control of diseases in cereals

Contains: 75 g/litre bixafen + 150 g/litre prothioconazole in the form of an emulsifiable concentrate

Registered pursuant to the ACVM Act 1997, No P8930
See www.foodsafety.govt.nz for registration conditions.

Approved pursuant to the HSNO Act 1996, No HSR100864
See www.epa.govt.nz for approval conditions

DG Information



UN 3082
ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID,
N.O.S. (BIXAFEN SOLUTION)
PACKING GROUP III
CLASS 9
HAZCHEM CODE 3Z

IN A TRANSPORT EMERGENCY DIAL 111 POLICE OR FIRE BRIGADE



WARNING**KEEP OUT OF REACH OF CHILDREN****HSNO Classifications:**

6.1E May be harmful if swallowed.

6.4A Causes serious eye irritation.

6.9B May cause damage to organs through prolonged or repeated exposure

9.1B Toxic to aquatic life with long lasting effects

9.3C Harmful to terrestrial vertebrates

PRECAUTIONS:

Read label before use

Do not eat, drink or smoke while using this product.

Remove protective clothing and wash hands and face thoroughly before meals and after work.

Avoid contact with the skin and eyes

Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area

Do not apply directly into or onto water

PERSONAL PROTECTION:

When handling, wear full protective clothing such as impervious gloves, respirator, waterproof hat, coat and trousers (worn outside rubber boots).

STORAGE: Store in original container tightly closed and in a locked dry, cool, well-ventilated area, away from foodstuffs.**SPILLS AND DISPOSAL:** When dealing with spills wear personal protective clothing and equipment as described in the PERSONAL PROTECTION section.

Contain the spill by damming, recover spilt product by absorbing with sawdust or an inert absorbent material then transfer the recovered spilt material to a properly labelled drum. Deal with all spillages immediately. If contamination of drains, streams, watercourses, etc. is unavoidable, warn the local water authority.

Disposal: Dispose of this product only by using according to the label or at an approved landfill. Avoid contamination of any water supply with product or empty container.**Container Disposal:** Triple rinse container and add residue to mixture. Take to an Agrecovery collection site.**FIRST AID:**

If swallowed, do NOT induce vomiting. For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If skin contact occurs, remove contaminated clothing and flush skin with running water. If splashed in eyes, wash out immediately with water, if irritation persists get medical advice. If inhaled, move the victim to fresh air immediately.



10-12-2018

It is an offence to use this product on animals.

DIRECTIONS FOR USE:

MIXING: Half fill the spray tank with water, then pour in the required quantity of **Aviator Xpro**[®] with agitators running, then top up with water. Do not pre-mix.

RESISTANCE MANAGEMENT

Group	3 + 7	Fungicide
-------	--------------	-----------

Aviator Xpro[®] contains bixafen from the SDHI (Succinate DeHydrogenase Inhibitor) mode of action (Group 7) and prothioconazole from the DMI (DeMethylation Inhibitor) mode of action (Group 3). Resistance to this fungicide and related products could develop in some disease situations from repeated use. To minimize this risk use a maximum of 2 applications per season. Make no more than 2 applications using fungicides from the SDHI group and no more than 3 applications, including seed treatment, from the DMI group.

RECOMMENDATION:

Crop	Disease	Rate	Comments
Wheat	Stripe rust Leaf rust Speckled leaf blotch Tan spot	700 – 1000 ml/ha	Apply on first appearance of disease. Should disease pressure persist or re-infection occur, a further application may be required 3-4 weeks later. Use the higher rate when disease pressure is high.
Barley	Scald Net blotch Ramularia leaf spot Leaf rust	700 – 1000 ml/ha	Apply on first appearance of disease. Should disease pressure persist or re-infection occur, a further application may be required 3-4 weeks later. Use the higher rate when disease pressure is high.
Triticale	Stripe rust Leaf rust	700 – 1000 ml/ha	Apply on first appearance of disease. Should disease pressure persist or re-infection occur, a further application may be required 3-4 weeks later. Use the higher rate when disease pressure is high.

Apply **Aviator Xpro**[®] in at least 120 litres of water per hectare by ground or 50 litres per hectare by aerial application. Use high water volumes in dense or advanced crops especially under dry weather conditions.

COMPATIBILITY

Aviator Xpro[®] is compatible with commonly used fungicides and insecticides. Seek advice if mixing with herbicides and/or plant growth regulators.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Commodities.

WITHHOLDING PERIOD:

Barley, Wheat and triticale (grain): 56 days
Wheat, barley, triticale (forage): 42 days



CONDITIONS OF SUPPLY: READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING. IF THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE UNOPENED.

To the extent permitted by law Bayer does not accept any liability or responsibility whatsoever for any loss, damage or injury whether direct, indirect or consequential howsoever arising in connection with these goods, including without limitation their storage, application, handling or use. Bayer does not make any warranties (express or implied) with respect to fitness for purpose, merchantable quality or any other matter.

To the extent only that Bayer is prevented by law from contracting out of the Consumer Guarantees Act, then these conditions apply subject to that Act. The Act shall not apply where these goods are acquired for business purposes.

Date of Manufacture:

Batch No:

Aviator Xpro® is a registered trademark of the Bayer Group

Bayer

Registered to:
Bayer New Zealand Limited
3 Argus Place, Hillcrest, Auckland 0627

Ph. 0800 428 246
EMERGENCY RESPONSE SERVICE (24 hrs) 0800 734 607



A handwritten signature in blue ink, appearing to be "Mark Zimling".

10-12-2018