

SAFETY DATA SHEET



ESCOLTA

Version 4 / NZ
10200008361

1/11

Revision Date: 17.07.2024
Print Date: 17.07.2024

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name ESCOLTA
Product code (UVP) 05907403, 86218321

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide
EPA-Nr. HSR101050

1.3 Details of the supplier of the safety data sheet

Supplier Bayer New Zealand Limited
CropScience Division
B:HIVE Building
74 Taharoto Rd
Smales Farm
Takapuna
Auckland, 0622
New Zealand
Telephone 0800 428 246
Telefax (09) 441 8645

1.4 Emergency telephone no.

Emergency Number 0800 734 607 (24hr)
Global Incident Response Hotline (24h) +1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classified as hazardous according to the criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2020 as amended

Repr. 2
H361 Suspected of damaging fertility or the unborn child.

STOT RE 2
H373 May cause damage to organs through prolonged or repeated exposure.

Aquatic Chronic 1
H410 Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET



ESCOLTA

Version 4 / NZ
102000008361

2/11

Revision Date: 17.07.2024
Print Date: 17.07.2024

2.2 Label elements

Labelling in accordance with the Hazardous Substances (Safety Data Sheets) Notice 2020 as amended

Hazard label for supply/use required.



Signal word: Warning

Hazard statements

H361 Suspected of damaging fertility or the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P102 Keep out of reach of children.
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.
P391 Collect spillage.
P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No additional hazards known beside those mentioned.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Suspension concentrate (=flowable concentrate)(SC)
Trifloxystrobin/Cyproconazole 375:160 g/l

Hazardous components

Chemical name	CAS-No.	Conc. [%]
Trifloxystrobin	141517-21-7	32.9
Cyproconazole	94361-06-5	14.0
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	> 0.00015 – < 0.0015
1,2-Benzisothiazol-3(2H)-one	2634-33-5	> 0.005 – < 0.05

Further information

1,2-Benzisothiazol-3(2H)-one	2634-33-5	M-Factor: 1 (acute)
------------------------------	-----------	---------------------

SAFETY DATA SHEET



ESCOLTA

Version 4 / NZ
10200008361

3/11

Revision Date: 17.07.2024
Print Date: 17.07.2024

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.

Contact the National Poisons and Hazardous Chemicals Information center in Dunedin, PO Box 913, Dunedin. Phone 0800 POISON (0800 764 766).

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable	High volume water jet

5.2 Special hazards arising from the substance or mixture In the event of fire the following may be released: Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride, Carbon monoxide (CO), Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus and protective suit.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SAFETY DATA SHEET



ESCOLTA

Version 4 / NZ
10200008361

4/11

Revision Date: 17.07.2024
Print Date: 17.07.2024

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion No special precautions required.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from frost.

Suitable materials HDPE (high density polyethylene)

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Trifloxystrobin	141517-21-7	2.7 mg/m ³ (SK-SEN)		OES BCS*

SAFETY DATA SHEET



ESCOLTA

Version 4 / NZ
102000008361

5/11

Revision Date: 17.07.2024
Print Date: 17.07.2024

1,2-Propanediol (Particulate.)	57-55-6	10 mg/m ³ (TWA)	07 2011	NZ OEL
1,2-Propanediol (Vapor and particulates.)	57-55-6	474 mg/m ³ /150 ppm (TWA)	07 2011	NZ OEL

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Respiratory protection is not required under anticipated circumstances of exposure.
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.
Material Nitrile rubber
Rate of permeability > 480 min
Glove thickness > 0.4 mm
Protective index Class 6
Directive Protective gloves complying with EN 374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 4 suit.
If there is a risk of significant exposure, consider a higher protective type suit.
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	suspension
Colour	white to beige
Odour	weak, characteristic

SAFETY DATA SHEET



ESCOLTA

Version 4 / NZ
10200008361

6/11

Revision Date: 17.07.2024
Print Date: 17.07.2024

Odour Threshold	No data available
pH	6.0 - 8.0 (100 %) (23 °C)
Melting point/range	No data available
Boiling Point	No data available
Flash point	> 105 °C No flash point - Determination conducted up to the boiling point.
Flammability	No data available
Auto-ignition temperature	355 °C
Thermal decomposition	No data available
Minimum ignition energy	No data available
Self-accelarating decomposition temperature (SADT)	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Vapour pressure	No data available
Evaporation rate	No data available
Relative vapour density	No data available
Relative density	No data available
Density	ca. 1.14 g/cm ³ (20 °C)
Water solubility	dispersible
Partition coefficient: n-octanol/water	Trifloxystrobin: log Pow: 4.5 (25 °C) Cyproconazole: log Pow: 3.1 (25 °C)
Viscosity, dynamic	200 - 400 mPa.s (20 °C) Velocity gradient 20 /s 68.9 mPa.s (40 °C) Velocity gradient 20 /s
Viscosity, kinematic	61 mm ² /s (40 °C)
Surface tension	43.4 mN/m (20 °C)
Oxidizing properties	No oxidizing properties
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113
9.2 Other information	Further safety related physical-chemical data are not known.

SAFETY DATA SHEET



ESCOLTA

Version 4 / NZ
10200008361

7/11

Revision Date: 17.07.2024
Print Date: 17.07.2024

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity	LD50 (Rat) \geq 5,000 mg/kg
Acute inhalation toxicity	LC50 (Rat) > 1.962 mg/l Exposure time: 4 h Determined in the form of a respirable aerosol. Highest attainable concentration.
Acute dermal toxicity	LD50 (Rat) > 4,000 mg/kg
Skin corrosion/irritation	No skin irritation (Rabbit)
Serious eye damage/eye irritation	No eye irritation (Rabbit)
Respiratory or skin sensitisation	Skin: Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Magnusson & Kligman test

Assessment STOT Specific target organ toxicity – single exposure

Trifloxystrobin: Based on available data, the classification criteria are not met.
Cyproconazole: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Trifloxystrobin did not cause specific target organ toxicity in experimental animal studies.
Cyproconazole caused specific target organ toxicity in experimental animal studies in the following organ(s): Liver.

Assessment mutagenicity

Trifloxystrobin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Cyproconazole was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Trifloxystrobin was not carcinogenic in lifetime feeding studies in rats and mice.
Cyproconazole was not carcinogenic in a lifetime feeding study in rats. Cyproconazole caused at high

SAFETY DATA SHEET



ESCOLTA

Version 4 / NZ
102000008361

8/11

Revision Date: 17.07.2024
Print Date: 17.07.2024

dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The tumours seen with Cyproconazole were caused through peroxisome proliferation. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

Assessment toxicity to reproduction

Trifloxystrobin caused reduced body weight development in offspring during lactation only at doses also producing systemic toxicity in adult rats.

Cyproconazole did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Trifloxystrobin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Trifloxystrobin are related to maternal toxicity.

Cyproconazole caused developmental toxicity only at dose levels toxic to the dams. Cyproconazole caused an increased incidence of non-specific malformations.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)) 0.0523 mg/l
Exposure time: 96 h

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 0.0845 mg/l
Exposure time: 48 h

LC50 (Mysidopsis bahia (mysid shrimp)) 0.00862 mg/l
Exposure time: 96 h

The value mentioned relates to the active ingredient trifloxystrobin.

Toxicity to aquatic plants

IC50 (Raphidocelis subcapitata (freshwater green alga)) 0.55 mg/l
Growth rate; Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)) 0.0025 mg/l
Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient trifloxystrobin.

12.2 Persistence and degradability

Biodegradability

Trifloxystrobin:
Not rapidly biodegradable
Cyproconazole:
Not rapidly biodegradable

SAFETY DATA SHEET



ESCOLTA

Version 4 / NZ
10200008361

9/11

Revision Date: 17.07.2024
Print Date: 17.07.2024

Koc Trifloxystrobin: Koc: 2377
Cyproconazole: Koc: 309

12.3 Bioaccumulative potential

Bioaccumulation Trifloxystrobin: Bioconcentration factor (BCF) 431
Does not bioaccumulate.
Cyproconazole:
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Trifloxystrobin: Slightly mobile in soils
Cyproconazole: Moderately mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Trifloxystrobin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Cyproconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological information No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product Dispose of this product only by using according to the label, or at an approved landfill or other approved facility.

Contaminated packaging Triple rinse containers. Recycle if possible. If allowed under local authority, burn if circumstances, especially wind direction permit, otherwise crush and bury in an approved local authority facility. Do not use container for any other purpose.

SECTION 14: TRANSPORT INFORMATION

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

ADR/RID/ADN

14.1 UN number

14.2 Proper shipping name

3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.

SAFETY DATA SHEET



ESCOLTA

Version 4 / NZ
102000008361

10/11

Revision Date: 17.07.2024
Print Date: 17.07.2024

14.3 Transport hazard class(es) (TRIFLOXYSTROBIN, CYPROCONAZOLE)
9
14.4 Packing group III
14.5 Environm. Hazardous Mark YES
Hazchem Code 3Z

IMDG

14.1 UN number **3082**
14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(TRIFLOXYSTROBIN, CYPROCONAZOLE)
14.3 Transport hazard class(es) 9
14.4 Packing group III
14.5 Marine pollutant YES

IATA

14.1 UN number **3082**
14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(TRIFLOXYSTROBIN, CYPROCONAZOLE)
14.3 Transport hazard class(es) 9
14.4 Packing group III
14.5 Environm. Hazardous Mark YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Further information

HSNO approval-Nr. HSR101050
HSNO Controls See www.epa.govt.nz
ACVM Reg. P9302
ACVM Condition See www.foodsafety.govt.nz

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE Acute toxicity estimate
CAS-Nr. Chemical Abstracts Service number

SAFETY DATA SHEET



ESCOLTA

Version 4 / NZ
10200008361

11/11

Revision Date: 17.07.2024
Print Date: 17.07.2024

Conc.	Concentration
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe products in terms of their safety requirements. The above details do not imply any guarantee concerning composition, properties or performance of the product.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.