

Folicur[®]WG

Net contents : 2 kg (5 x 400 g pre-packs)

Fungicide

Systemic fungicide for the control of brown rot in summerfruit

Contains: 250 g/kg tebuconazole in the form of a water dispersible granule.

Registered pursuant to the ACVM Act 1997, No P4778
See www.foodsafety.govt.nz for registration conditions.

Approved pursuant to the HSNO Act 1996, No HSR007887
See www.epa.govt.nz for approval conditions



WARNING

Approved Handler: This product must be under control of an approved handler when applied in a wide dispersive manner or when used by a commercial contractor

HSNO Classifications:

6.4A Causes serious eye irritation.

6.9B May cause damage to organs through prolonged or repeated exposure

9.1A Very toxic to aquatic life with long lasting effects

PRECAUTIONS:

Do not eat, drink or smoke while using this product.

Remove protective clothing and wash hands and face thoroughly before meals and after work.

Avoid contact with the skin and eyes

PERSONAL PROTECTION:

When handling, wear full protective clothing such as impervious gloves, respirator, waterproof hat, coat and trousers (worn outside rubber boots).

STORAGE: Store in original container tightly closed and in a locked dry, cool, well-ventilated area, away from foodstuffs.

SPILLS AND DISPOSAL: When dealing with spills wear personal protective clothing and equipment as described in the PERSONAL PROTECTION section.

Contain the spill by damming, recover spilt product by absorbing with sawdust or an inert absorbent material then transfer the recovered spilt material to a properly labelled drum. Deal with all spillages immediately. If contamination of drains, streams, watercourses, etc. is unavoidable, warn the local water authority.

Disposal: Dispose of this product only by using according to the label or at an approved landfill. Avoid contamination of any water supply with product or empty container.

Container Disposal: Triple rinse container and add residue to mixture. Take to an Agrecovery collection site.

FIRST AID:

If swallowed, do NOT induce vomiting. For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If skin contact occurs, remove contaminated clothing and flush skin with running water. If splashed in eyes, wash out immediately with water, if irritation persists get medical advice. If inhaled, move the victim to fresh air immediately.



It is an offence to use this product on animals.

DIRECTIONS FOR USE:

MIXING: Pour Folicur®WG in the spray tank with agitators running.

RESISTANCE MANAGEMENT

Group	3	Fungicide
-------	---	-----------

Folicur®WG contains tebuconazole from the DeMethylation Inhibitor (DMI) mode of action (Group 3). Resistance to this fungicide and related DMI products could develop in some disease situations from repeated use. To minimize this risk, use strictly in accordance with label instructions.

RECOMMENDATION:

Crop	Disease	Product Rates	Comments
Summerfruit	Brown rot	40 g/100 litres. Use minimum of 800 g/ha.	A. Apply in a regular blossom programme from pink to shuck fall inclusive. Thereafter apply alternative non-DMI fungicides through until harvest; or B. Apply 2 – 3 sprays 7 – 10day intervals in the period prior to harvest. When used pre-harvest use alternative non-DMI fungicides earlier in the season.

The rates suggested are for high volume spraying to run-off. For concentrate spraying adjust dilution rates accordingly.

Apply a maximum of 3 applications, preferably with non-DMI fungicides over the pink to shuck fall period, or alternatively over the pre-harvest period. Apply alternative non-DMI fungicides at other times.

COMPATIBILITY

Folicur®WG is compatible with commonly-used insecticides and fungicides. Do not use with alkaline material such as Bordeaux mixture and lime sulphur

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

WITHHOLDING PERIOD:

Summerfruit: 1 day

CONDITIONS OF SUPPLY: READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING. IF THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE UNOPENED.

To the extent permitted by law Bayer does not accept any liability or responsibility whatsoever for any loss, damage or injury whether direct, indirect or consequential howsoever arising in connection with these goods, including without limitation their storage, application, handling or use. Bayer does not make any warranties (express or implied) with respect to fitness for purpose, merchantable quality or any other matter.

To the extent only that Bayer is prevented by law from contracting out of the Consumer Guarantees Act, then these conditions apply subject to that Act. The Act shall not apply where these goods are acquired for business purposes.

Batch No:



TNP® is a registered trademark of the Bayer Group

Bayer

Registered to:
Bayer New Zealand Limited
3 Argus Place, Hillcrest, Auckland 0627

Ph. 0800 428 246
EMERGENCY RESPONSE SERVICE (24 hrs) 0800 734 607

