

Luna[®] Privilege 250SC

Net contents : 5 litres


Fungicide

Fungicide for control of *Sclerotinia* in Kiwifruit and *Botrytis cinerea* in greenhouse fruiting vegetables (except cucurbits).

Contains: 250/litre fluopyram in the form of a suspension concentrate

Registered pursuant to the ACVM Act 1997, No P9910. See www.foodsafety.govt.nz for registration conditions.

Approved pursuant to the HSNO Act 1996, No HSR101447 See www.epa.govt.nz for approval controls



UN Number e.g. UN 3082
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fluopyram Solution)
PACKING GROUP III
CLASS 9
HAZCHEM CODE: 3Z

IN A TRANSPORT EMERGENCY DIAL 111 POLICE OR FIRE BRIGADE

July 2024



WARNING**HSNO Classifications:**

May cause an allergic skin reaction.

May cause damage to organs through prolonged or repeated oral exposure

Harmful to aquatic wildlife with long lasting effects.

PRECAUTIONS:

Read label before use

Do not eat, drink or smoke while using this product.

Remove protective clothing and wash hands and face thoroughly before meals and after work.

Avoid contact with the skin and eyes

Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area

Do not apply directly into or onto water

PERSONAL PROTECTION:

When handling, wear full protective clothing such as impervious gloves, respirator, waterproof hat, coat and trousers (worn outside rubber boots).

STORAGE: Store in original container tightly closed and in a locked dry, cool, well ventilated area, away from food stuffs.

SPILLS AND DISPOSAL: When dealing with spills wear personal protective clothing and equipment as described in the PERSONAL PROTECTION section.

Contain the spill by damming, recover spilt product by absorbing with sawdust or an inert absorbent material then transfer the recovered spilt material to a properly labelled drum. Deal with all spillages immediately. If contamination of drains, streams, watercourses, etc. is unavoidable, warn the local water authority.

Disposal: Dispose of this product only by using according to the label or at an approved landfill. Avoid contamination of any water supply with product or empty container.

Container Disposal: Triple rinse container and add residue to mixture. Take to an Agrecovery collection site.

FIRST AID:

If swallowed do NOT induce vomiting. For advice, contact the National Poisons Centre 0800 POISON (0800 764766) or a doctor immediately. If skin contact occurs, remove contaminated clothing and flush skin with running water. If splashed in eyes, wash out immediately with water. If inhaled move the victim to fresh air immediately.

It is an offence to use this product on animals.

DIRECTIONS FOR USE:

Mixing: Half fill the spray tank with water then pour in the required quantity of Luna Privilege 250SC with agitators running, then top up with water.



RESISTANCE MANAGEMENT:

Group	7	Fungicide
-------	---	-----------

Luna Privilege 250SC contains fluopyram from the SDHI (Succinate Dehydrogenase Inhibitor) mode of action (Group 7). Resistance to this fungicide and related products could develop in some disease situations from repeated use. To minimize this risk follow label directions and use a maximum of 2 applications per season. Make no more than 2 applications using fungicides from the SDHI group.

RECOMMENDATIONS:

The rates recommended are for high volume spraying to the point of run-off. For concentrate spraying adjust dilution rate accordingly.

Crop	Disease	Rate	Remarks
Kiwifruit	<i>Sclerotinia</i>	40 mL/100 L	Apply to the point of run-off. For concentrate spraying, adjust rate accordingly to achieve the same rate of active ingredient per hectare as the dilute spray. Make a single application from 7 days prior to the start of flowering up to 80% flowering. Do not allow stock to graze treated orchards.
Greenhouse fruiting vegetables (except cucurbit) e.g. Tomatoes, Capsicums, Aubergines, Chilli	<i>Botrytis cinerea</i>	60 mL/100 L	Apply preventatively when conditions are favourable for disease development. Apply to the point of run-off. A second application may be necessary but must not be applied consecutively. Make no more than 2 applications per crop.

COMPATIBILITY:

Luna Privilege 250SC is compatible with commonly used insecticides and fungicides. It is advisable to test plant compatibility of mixtures on a small experimental area first.

RESTRICTIONS

For fruiting greenhouse vegetables, the maximum application rate of this substance is 300 g of a.i./ha. The maximum application frequency of this substance must not be more than twice per year with a minimum interval period between applications of seven days.

For kiwifruit, the maximum application rate of this substance is 150 g of a.i./ha. The maximum application frequency of this substance must not be more than once per year.

Must be applied via ground-based methods only.

Restricted entry intervals if no gloves are worn when used in greenhouses – 13 days

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

WITHHOLDING PERIOD:

Kiwifruit — Do not apply after 80% flowering.



Greenhouse fruiting vegetables (except cucurbits) – 1 day



A handwritten signature in blue ink, consisting of a stylized, cursive letter 'S' followed by a dot.

CONDITIONS OF SUPPLY:

READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING. IF THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE UNOPENED.

To the extent permitted by law Bayer does not accept any liability or responsibility whatsoever for any loss, damage or injury whether direct, indirect or consequential howsoever arising in connection with these goods, including without limitation their storage, application, handling or use. Bayer does not make any warranties (express or implied) with respect to fitness for purpose, merchantable quality or any other matter.

To the extent only that Bayer is prevented by law from contracting out of the Consumer Guarantees Act, then these conditions apply subject to that Act. The Act shall not apply where these goods are acquired for business purposes.

Batch No:

Date of Manufacture:

Luna® is a registered trademark of the Bayer Group

Bayer

Registered to:

Bayer New Zealand Limited

B:HIVE Building, 74 Taharoto Rd, Smales Farm

Takapuna, Auckland, 0622, New Zealand

Ph. 0800 428 246

EMERGENCY RESPONSE SERVICE (24 hrs) 0800 734 607



A handwritten signature in blue ink, consisting of a stylized 'S' followed by a horizontal line and a vertical line.