

Monceren[®] IM DS

Contains: 125 g/kg pencycuron and 6 g/kg imazalil in the form of a seed dressing powder

Net Contents:

20x1 kg

FUNGICIDE

For control of *Rhizoctonia solani* (black scurf and stem canker) and silver scurf as a tuber treatment for seed and table potato production.

Registered pursuant to the ACVM Act 1997, No P5036
See www.foodsafety.govt.nz for registration conditions.

Approved pursuant to the HSNO Act 1996, No HSR000589
See www.epa.govt.nz for approval conditions



A handwritten signature in blue ink, appearing to be "John G. King".

18-07-2018

HSNO Classifications: 6.9B, 9.1B**WARNING:**

Harmful – may cause organ damage from repeated oral exposure at high doses.
Toxic to aquatic organisms with long-lasting effects.

PRECAUTIONS:**PERSONAL PROTECTION:**

Do not eat, drink or smoke while using.

Wear protective clothing such as impervious gloves, waterproof hat, coat and trousers when using.

Remove protective clothing and wash hands and face thoroughly before meals and after work.

May be harmful if swallowed, inhaled or absorbed through the skin. **STORAGE:** Store in original container tightly closed and in a locked dry, cool, well-ventilated area, away from foodstuffs.

SPILLS AND DISPOSAL: When dealing with spills wear personal protective clothing and equipment as described in the PERSONAL PROTECTION section. Sweep up spilled material, collect and store in properly labelled, sealed drums for safe disposal. Avoid creating dust. If spray mixture is spilled, contain and absorb in suitable inert absorbent material and collect in drums as above. Deal with all spillages immediately. If contamination of drains, streams, watercourses, etc. is unavoidable, warn the local water authority.

Disposal: Dispose of this product only by using according to the label or at an approved landfill. Avoid contamination of any water supply with product or empty container.

Container Disposal: Ensure container is completely empty. Burn if circumstances, especially wind direction, permit. Otherwise bury in a suitable land fill.

FIRST AID:

If swallowed, do NOT induce vomiting.

For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately.

If skin contact occurs, remove contaminated clothing and flush skin with running water.

If splashed in eyes, wash out immediately with water. If irritation persists, get medical advice.

If inhaled, move the victim to fresh air immediately.

SEED TREATED WITH *MONCEREN IM DS* MUST NOT BE USED FOR HUMAN OR ANIMAL CONSUMPTION AND CONTAINERS HOLDING TREATED SEED MUST BE LABELLED ACCORDINGLY.



18-07-2018

Monceren IM DS is a fungicide formulated as a ready to use seed treatment powder for direct application to tubers for control of *Rhizoctonia solani* (black scurf and stem canker) and silver scurf in seed and table potato production.

It is an offence to use this product on animals.

Monceren IM DS acts by controlling infection on the seed tuber and protects against reinfection from the soil. To ensure best results against silver scurf the crops should not be ground stored after maturity, or kept in cool storage for any length of time.

RECOMMENDATIONS:

Crop	Disease	Rate	Remarks
Potatoes	<i>Rhizoctonia Solani</i> (black scurf, stem canker) Silver scurf	2.0 kg/tonne of seed tubers	Apply during the planting process by filling one quarter of the hopper with seed tubers and sprinkle over one third of the required quantity of Monceren IM DS, add a further quarter of the seed tubers and sprinkle a further third of Monceren IM DS over the tubers, and so on in layers until the hopper is filled with tubers. Even coverage of Monceren IM DS on the tubers is required for reliable results. This will be aided by movement in the hopper during planting.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

CONDITIONS OF SUPPLY:

READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING. IF THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE UNOPENED.

To the extent permitted by law Bayer does not accept any liability or responsibility whatsoever for any loss, damage or injury whether direct, indirect or consequential howsoever arising in connection with these goods, including without limitation their storage, application, handling or use. Bayer does not make any warranties (express or implied) with respect to fitness for purpose, merchantable quality or any other matter.

To the extent only that Bayer is prevented by law from contracting out of the Consumer Guarantees Act, then these conditions apply subject to that Act. The Act shall not apply where these goods are acquired for business purposes.

Date of Manufacture:

Batch No:

Monceren® is a registered trademark of the Bayer Group
† Imazalil is a compound of Jansen Pharmaceutica, N.V. Beerse, Belgium

Registered to:

Bayer New Zealand Limited
3 Argus Place, Hillcrest, Auckland 0627
Ph. 0800 428 246
EMERGENCY RESPONSE SERVICE (24 hrs) 0800 734 607

Bayer

July 2018



18-07-2018