

HARMFUL
Keep out of reach of children

Previcur[®] N

Contains:
600 g/litre propamocarb in the form of a soluble concentrate

Net Contents: 1 litre

Fungicide

**Systemic fungicide for the control of damping off (*Pythium* spp.)
in ornamentals**

Approved pursuant to the HSNO Act 1996, No HSR000481
See www.epa.govt.nz for approval conditions

HSNO Classifications: 6.1E, 6.9B, 8.1A, 9.1D, 9.2B, 9.3C



WARNING:

May be harmful if swallowed, inhaled or absorbed through the skin.

Harmful – presumed to/may cause organ damage from repeated oral exposure at high doses.

Warning – this product may be corrosive to metal.

Warning – harmful to aquatic organisms.

Warning – toxic to the soil environment.

Warning – harmful to terrestrial vertebrates.

PRECAUTIONS:

PERSONAL PROTECTION:

Avoid skin contact or inhalation.

Do not eat, drink or smoke while using.

Wear protective clothing such as impervious gloves, waterproof hat, coat and trousers when using.

Remove protective clothing and wash hands and face thoroughly before meals and after work.

STORAGE: Store in original container tightly closed and in a locked dry, cool, well-ventilated area, away from foodstuffs.

SPILLS AND DISPOSAL: When dealing with spills wear personal protective clothing and equipment as described in the PERSONAL PROTECTION section.

Contain the spill by damming, recover spilt product by absorbing with sawdust or an inert absorbent material then transfer the recovered spilt material to a properly labelled drum.

Deal with all spillages immediately. If contamination of drains, streams, watercourses, etc. is unavoidable, warn the local water authority.

Disposal: Dispose of this product only by using according to the label or at an approved landfill. Avoid contamination of any water supply with product or empty container.

Container Disposal: Triple rinse container and add residue to mixture. Take to an Agrecovery collection site.

FIRST AID

If swallowed, do NOT induce vomiting.

For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately.

If skin contact occurs, remove contaminated clothing and flush skin with running water.

If splashed in eyes, wash out immediately with water.

If inhaled, move the victim to fresh air immediately.

Previcur N is a fungicide to protect germinating seeds, seedlings, bulbs, and plants of a wide range of ornamental species, for up to 3-4 weeks against damping-off disease. Systemic uptake through the roots provides protection to aerial parts of the plant.

DIRECTIONS FOR USE

Mixing: Add the required amount to clean water. Stir thoroughly before use.

Compatibility: Compatible with most insecticides and fungicides. Do not mix with foliar fungicides.

Equipment: **Previcur N** may be applied through a watering can, injection equipment or conventional high volume sprayers. If spraying, use low pressures (50-100 kPa) and coarse droplets.

Caution: **Previcur N** is corrosive to metals. Clean equipment thoroughly after use.

Do not apply on or around food or animal feed crops.

Recommendations for the control of damping-off (*Pythium* spp.) in ornamentals.

Seedling and seedbed treatment	Mix 1.5 ml/litre of water and apply 2 litres of solution per square metre as a soil drench. Prick out seedlings as soon as soil has dried sufficiently to be worked.
Cuttings – soil treatment – plants	Mix 1.5 ml/litre of water. Apply 2 litres of solution per square metre immediately after setting and repeat at 3 week intervals. Normally 3-4 treatments are adequate. Dip into solution of 1.5 ml/litre of water.
Pot plants	Mix 1.5 ml/litre of water. Drench or dip young plants prior to potting out. Immediately after planting, apply 100 ml of solution per 100-110 mm pot, 150 ml per 120-130 mm pot, and repeat at 3 week intervals. Normally 3-4 treatments are adequate.
Bulk soil	Apply 250-300 ml in 10-20 litres of water per cubic metre of soil and mix thoroughly. Preventative treatment in bulk soil for pot plants is recommended

Safety to Ornamentals: When used according to label recommendations, **Previcur N** will not cause damage to a wide range of ornamental flowers, indoor plants and shrubs. However if the compound is used repeatedly at short intervals or if it is used at increased concentration rates, slight necrotic tipping of the cotyledons, or of advanced leaves which have stopped growing, may occur.

CONDITIONS OF SUPPLY:

READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING. IF THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE UNOPENED.

To the extent permitted by law Bayer does not accept any liability or responsibility whatsoever for any loss, damage or injury whether direct, indirect or consequential howsoever arising in connection with these goods, including without limitation their

storage, application, handling or use. Bayer does not make any warranties (express or implied) with respect to fitness for purpose, merchantable quality or any other matter.

To the extent only that Bayer is prevented by law from contracting out of the Consumer Guarantees Act, then these conditions apply subject to that Act. The Act shall not apply where these goods are acquired for business purposes.

Date of Manufacture:

Batch No:

Previcur® is a registered trademark of the Bayer Group

Bayer

Bayer New Zealand Limited
3 Argus Place, Hillcrest, Auckland 0627
Ph. 0800 428 246
EMERGENCY RESPONSE SERVICE (24 hrs) 0800 734 607

