

SAFETY DATA SHEET



PROSARO

Version 4 / NZ
102000007908

1/11

Revision Date: 18.07.2024
Print Date: 18.07.2024

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name PROSARO
Product code (UVP) 05676428, 81782423

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide
EPA-Nr. HSR007871

Restrictions on use See product label for restrictions.

1.3 Details of the supplier of the safety data sheet

Supplier Bayer New Zealand Limited
CropScience Division
B:HIVE Building
74 Taharoto Rd
Smales Farm
Takapuna
Auckland, 0622
New Zealand

Telephone 0800 428 246

Telefax (09) 441 8645

1.4 Emergency telephone no.

Emergency Number 0800 734 607 (24hr)
Global Incident Response Hotline (24h) +1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classified as hazardous according to the criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2020 as amended

Eye Irrit. 2
H319 Causes serious eye irritation.

STOT RE 2
H373 May cause damage to organs through prolonged or repeated exposure.

Aquatic Chronic 2

SAFETY DATA SHEET



PROSARO

Version 4 / NZ
102000007908

2/11

Revision Date: 18.07.2024
Print Date: 18.07.2024

H411 Toxic to aquatic life with long lasting effects.
Repr. 2
H361 Suspected of damaging fertility or the unborn child.
Hazardous to terrestrial vertebrates
H433 Harmful to terrestrial vertebrates.

2.2 Label elements

Labelling in accordance with the Hazardous Substances (Safety Data Sheets) Notice 2020 as amended

Hazard label for supply/use required.



Signal word: Warning

Hazard statements

H319 Causes serious eye irritation.
H361 Suspected of damaging fertility or the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure.
H411 Toxic to aquatic life with long lasting effects.
H433 Harmful to terrestrial vertebrates.

Precautionary statements

P102 Keep out of reach of children.
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.
P391 Collect spillage.
P410 Protect from sunlight.
P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No additional hazards known beside those mentioned.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Emulsifiable concentrate (EC)
Prothioconazole/Tebuconazole 125:125 /g/l

Hazardous components

Chemical name	CAS-No.	Conc. [%]
Prothioconazole	178928-70-6	12.76
Tebuconazole	107534-96-3	12.76
N,N-Dimethyl decanamide	14433-76-2	> 20

SAFETY DATA SHEET



PROSARO

Version 4 / NZ
10200007908

3/11

Revision Date: 18.07.2024
Print Date: 18.07.2024

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.

Contact the National Poisons and Hazardous Chemicals Information center in Dunedin, PO Box 913, Dunedin. Phone 0800 POISON (0800 764 766).

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable High volume water jet

5.2 Special hazards arising from the substance or mixture In the event of fire the following may be released: Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Sulphur oxides, Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus and protective suit.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SAFETY DATA SHEET



PROSARO

Version 4 / NZ
10200007908

4/11

Revision Date: 18.07.2024
Print Date: 18.07.2024

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Collect and transfer the product into a properly labelled and tightly closed container.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Protect from freezing. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials HDPE (high density polyethylene)

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Prothioconazole	178928-70-6	1.4 mg/m ³ (SK-ABS)		OES BCS*

SAFETY DATA SHEET



PROSARO

Version 4 / NZ
102000007908

5/11

Revision Date: 18.07.2024
Print Date: 18.07.2024

Tebuconazole	107534-96-3	0.2 mg/m ³ (SK-ABS)	OES BCS*
--------------	-------------	-----------------------------------	----------

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Wear respirator with an organic vapours and gas filter mask (protection factor 10) conforming to EN140 type A or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 6 suit. If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	Liquid, clear to slightly turbid
Colour	tan
Odour	aromatic
Odour Threshold	No data available

SAFETY DATA SHEET



PROSARO

Version 4 / NZ
102000007908

6/11

Revision Date: 18.07.2024
Print Date: 18.07.2024

pH	5.0 - 7.0 (1 %) (23 °C) (deionized water)
Melting point/range	No data available
Boiling Point	No data available
Flash point	> 148 °C
Flammability	No data available
Auto-ignition temperature	No data available
Thermal decomposition	No data available
Minimum ignition energy	No data available
Self-accelarating decomposition temperature (SADT)	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Vapour pressure	No data available
Evaporation rate	No data available
Relative vapour density	No data available
Relative density	No data available
Density	ca. 0.98 g/cm ³ (20 °C)
Water solubility	emulsifiable
Partition coefficient: n-octanol/water	Prothioconazole: log Pow: 3.82 (20 °C) (pH 7) Tebuconazole: log Pow: 3.7 N,N-Dimethyldecanamide: log Pow: 2.46
Viscosity, dynamic	49.9 mPa.s (20 °C)
Viscosity, kinematic	No data available
Surface tension	ca. 29.1 mN/m (20 °C)
Oxidizing properties	No oxidizing properties
Explosivity	Not explosive
9.2 Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under recommended storage conditions.

SAFETY DATA SHEET



PROSARO

Version 4 / NZ
10200007908

7/11

Revision Date: 18.07.2024
Print Date: 18.07.2024

10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity	LD50 (Rat) > 2,500 mg/kg
Acute inhalation toxicity	LC50 (Rat) > 5.153 mg/l Exposure time: 4 h
Acute dermal toxicity	LD50 (Rat) > 4,000 mg/kg
Skin corrosion/irritation	Irritating to skin. (Rabbit)
Serious eye damage/eye irritation	Irritating to eyes. (Rabbit)
Respiratory or skin sensitisation	Skin: Non-sensitizing. (Guinea pig) OECD Test Guideline 406

Assessment STOT Specific target organ toxicity – single exposure

Prothioconazole: Based on available data, the classification criteria are not met.
Tebuconazole: Based on available data, the classification criteria are not met.
N,N-Dimethyldecan-1-amide: May cause respiratory irritation.

Assessment STOT Specific target organ toxicity – repeated exposure

Prothioconazole did not cause specific target organ toxicity in experimental animal studies.
Tebuconazole did not cause specific target organ toxicity in experimental animal studies.
N,N-Dimethyldecanamide did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Prothioconazole was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.
Tebuconazole was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
N,N-Dimethyldecanamide was not genotoxic in a battery of in vitro tests.

Assessment carcinogenicity

Prothioconazole was not carcinogenic in lifetime feeding studies in rats and mice.
Tebuconazole caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man.
N,N-Dimethyldecanamide is not considered carcinogenic.

Assessment toxicity to reproduction

Prothioconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also

SAFETY DATA SHEET



PROSARO

Version 4 / NZ
10200007908

8/11

Revision Date: 18.07.2024
Print Date: 18.07.2024

toxic to the parent animals. The reproduction toxicity seen with Prothioconazole is related to parental toxicity.

Tebuconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Tebuconazole is related to parental toxicity.

N,N-Dimethyldecanamide is not considered a reproductive toxicant at non-maternally toxic dose levels.

Assessment developmental toxicity

Prothioconazole caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Prothioconazole are related to maternal toxicity.

Tebuconazole caused developmental toxicity only at dose levels toxic to the dams. Tebuconazole caused an increased incidence of post implantation losses, an increased incidence of non-specific malformations.

N,N-Dimethyldecanamide did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

No further toxicological information is available.

11.2 Information on other hazards

Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 3.94 mg/l Exposure time: 96 h
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 8.8 mg/l Exposure time: 48 h
Chronic toxicity to aquatic invertebrates	NOEC (Daphnia (water flea)): 0.010 mg/l Exposure time: 21 d The value mentioned relates to the active ingredient tebuconazole.
Toxicity to aquatic plants	IC50 (Raphidocelis subcapitata (freshwater green alga)) 9.5 mg/l Growth rate; Exposure time: 72 h ErC50 (Skeletonema costatum) 0.03278 mg/l Exposure time: 72 h The value mentioned relates to the active ingredient prothioconazole. EC10 (Skeletonema costatum) 0.01427 mg/l Growth rate; Exposure time: 72 h

SAFETY DATA SHEET



PROSARO

Version 4 / NZ
10200007908

9/11

Revision Date: 18.07.2024
Print Date: 18.07.2024

The value mentioned relates to the active ingredient prothioconazole.

12.2 Persistence and degradability

Biodegradability	Prothioconazole: Not rapidly biodegradable Tebuconazole: Not rapidly biodegradable N,N-Dimethyldecanamide: rapidly biodegradable
Koc	Prothioconazole: Koc: 1765 Tebuconazole: Koc: 769

12.3 Bioaccumulative potential

Bioaccumulation	Prothioconazole: Bioconcentration factor (BCF) 19 Does not bioaccumulate. Tebuconazole: Bioconcentration factor (BCF) 35 - 59 Does not bioaccumulate. N,N-Dimethyldecanamide: Does not bioaccumulate.
------------------------	--

12.4 Mobility in soil

Mobility in soil	Prothioconazole: Slightly mobile in soils Tebuconazole: Slightly mobile in soils N,N-Dimethyldecanamide: Slightly mobile in soils
-------------------------	---

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment	Prothioconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Tebuconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). N,N-Dimethyldecanamide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
--------------------------------	--

12.6 Endocrine disrupting properties

Assessment	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
-------------------	---

12.7 Other adverse effects

Additional ecological information	No other effects to be mentioned.
--	-----------------------------------

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product	Dispose of this product only by using according to the label, or at an approved landfill or other approved facility.
----------------	--

SAFETY DATA SHEET



PROSARO

Version 4 / NZ
102000007908

10/11

Revision Date: 18.07.2024
Print Date: 18.07.2024

Contaminated packaging Triple rinse containers. Recycle if possible. If allowed under local authority, burn if circumstances, especially wind direction permit, otherwise crush and bury in an approved local authority facility. Do not use container for any other purpose.

SECTION 14: TRANSPORT INFORMATION

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

ADR/RID/ADN

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TEBUCONAZOLE, PROTHIOCONAZOLE SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Hazchem Code	3Z

IMDG

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TEBUCONAZOLE, PROTHIOCONAZOLE SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Marine pollutant	YES

IATA

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TEBUCONAZOLE, PROTHIOCONAZOLE SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Further information

SAFETY DATA SHEET



PROSARO

Version 4 / NZ
10200007908

11/11

Revision Date: 18.07.2024
Print Date: 18.07.2024

HSNO approval-Nr.	HSR007871
HSNO Controls	See www.epa.govt.nz
ACVM Reg.	P7662
ACVM Condition	See www.foodsafety.govt.nz

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe products in terms of their safety requirements. The above details do not imply any guarantee concerning composition, properties or performance of the product.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.