

SCALA 1/10

 Version 2 / NZ
 Revision Date: 18.07.2024

 102000000850
 Print Date: 18.07.2024

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name SCALA
Product code (UVP) 05934583

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide EPA-Nr. HSR000782

1.3 Details of the supplier of the safety data sheet

Supplier Bayer New Zealand Limited

CropScience Division B:HIVE Building 74 Taharoto Rd Smales Farm Takapuna Auckland, 0622 New Zealand

Telephone 0800 428 246

Telefax (09) 441 8645

1.4 Emergency telephone no.

Emergency Number 0800 734 607 (24hr)

Global Incident Response

Hotline (24h)

+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classified as hazardous according to the criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2020 as amended

Aquatic Chronic 2

H411 Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with the Hazardous Substances (Safety Data Sheets) Notice 2020 as amended

Hazard label for supply/use required.



2/10

SCALA

Version 2 / NZ Revision Date: 18.07.2024 102000000850 Print Date: 18.07.2024



Signal word: Warning

Hazard statements

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No additional hazards known beside those mentioned.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Suspension concentrate (=flowable concentrate)(SC) Pyrimethanil 400 g/l

Hazardous components

Chemical name	CAS-No.	Conc. [%]
Pyrimethanil	53112-28-0	37.40
Lignin, alkali, reaction products with formaldehyde and sodium bisulfite	68512-35-6	>= 1.00 - < 10.00
1,2-Benzisothiazol-3(2H)-one	2634-33-5	>= 0.0050 - < 0.050
1,2-Propanediol	57-55-6	>= 1.00

Further information

1,2-Benzisothiazol-	2634-33-5	M-Factor: 10 (acute)
3(2H)-one		

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice Move out of dangerous area. Place and transport victim in stable

position (lying sideways). Remove contaminated clothing immediately

and dispose of safely.

Inhalation Move to fresh air. Keep patient warm and at rest. If symptoms persist,

call a physician.

Skin contact Wash off thoroughly with plenty of soap and water, if available with

polyethyleneglycol 400, subsequently rinse with water.



SCALA 3/10 Version 2/NZ Revision Date: 18.07.2024 102000000850 Print Date: 18.07.2024

Rinse immediately with plenty of water, also under the eyelids, for at **Eve contact**

least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation

develops and persists.

Ingestion Rinse mouth. Do NOT induce vomiting. Call a physician or poison

control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically. Gastric lavage is not normally required.

> However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate. There is

no specific antidote.

Contact the National Poisons and Hazardous Chemicals Information center in Dunedin, PO Box 913,

Dunedin. Phone 0800 POISON (0800 764 766).

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Water spray, Carbon dioxide (CO2), Foam, Sand

Unsuitable High volume water jet

5.2 Special hazards arising

from the substance or

mixture

In the event of fire the following may be released:, Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Carbon dioxide (CO2),

Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective

equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. Wear self-

contained breathing apparatus and protective suit.

Contain the spread of the fire-fighting media. Do not allow run-off from **Further information**

fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use

personal protective equipment.

6.2 Environmental

precautions

Do not allow to get into surface water, drains and ground water.



SCALA 4/10

 Version 2 / NZ
 Revision Date: 18.07.2024

 102000000850
 Print Date: 18.07.2024

6.3 Methods and materials for containment and cleaning up

Methods for cleaning upSoak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Collect and transfer the product into a properly labelled and tightly closed

container.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes

separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly

before using again. Garments that cannot be cleaned must be

destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from frost.

Advice on common storage Keep

Keep away from food, drink and animal feedingstuffs.

Suitable materials

7.3 Specific end use(s)

HDPE (high density polyethylene) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Pyrimethanil	53112-28-0	5.6 mg/m3		OES BCS*
		(TWA)		

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection Respiratory protection is not required under anticipated

circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or



 SCALA
 5/10

 Version 2 / NZ
 Revision Date: 18.07.2024

102000000850 Revision Date: 18.07.2024
Print Date: 18.07.2024

local extract ventilation. Always follow respirator manufacturer's

instructions regarding wearing and maintenance.

Hand protection Please observe the instructions regarding permeability and

breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the

contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating,

drinking, smoking or using the toilet.

Material Nitrile rubber
Rate of permeability > 480 min
Glove thickness > 0.4 mm
Protective index Class 6

Directive Protective gloves complying with EN

374.

Eye protection Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection Wear standard coveralls and Category 3 Type 6 suit.

If there is a risk of significant exposure, consider a higher protective

type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and

should be professionally laundered frequently.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form suspension

Colour beige

Odour almost odourless
Odour Threshold No data available

pH 6.0 - 8.0 (100 %) (23 °C)

Melting point/rangeNo data availableBoiling PointNo data available

Flash point > 110 °C

Flammability No data available

Auto-ignition temperature > 600 °C

Thermal decomposition No data available

Ignition temperature The product is not self-ignitable.

Minimum ignition energy No data available
Self-accelarating No data available

decomposition temperature

(SADT)



SCALA 6/10

Version 2 / NZ
Revision Date: 18.07.2024
Print Date: 18.07.2024

Upper explosion limit

Lower explosion limit

No data available

Vapour pressure

No data available

Evaporation rate

Relative vapour density

Relative density

No data available

Water solubility dispersible

Partition coefficient: n-

octanol/water

Pyrimethanil: log Pow: 2.84

Viscosity, dynamic 50 - 120 mPa.s (20 °C)

Velocity gradient 100 /s

Viscosity, kinematic No data available

Surface tension ca. 51 mN/m (20 °C)

Determined as a 1% solution in distilled water.

Oxidizing properties No data available Explosivity Not explosive

LAPIOSIVITY NOT EXPIOSIVE

9.2 Other information9.2 Further safety related physical-chemical data are not known.Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility ofNo hazardous reactions when stored and handled according to prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous

decomposition products

No decomposition products expected under normal conditions of use.



SCALA 7/10

 Version 2 / NZ
 Revision Date: 18.07.2024

 102000000850
 Print Date: 18.07.2024

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 5,000 mg/kg

Acute inhalation toxicity LC50 (Rat) > 1.26 mg/l

Exposure time: 4 h

Highest attainable concentration.

No deaths

Acute dermal toxicity LD50 (Rat) > 4,000 mg/kg

Skin corrosion/irritation Slight irritant effect - does not require labelling. (Rabbit)

Serious eye damage/eye

irritation

No eye irritation (Rabbit)

Respiratory or skin Non-sensitizing. (Guinea pig)

sensitisation OECD Test Guideline 406, Buehler test

Non-sensitizing. (Guinea pig)

OECD Test Guideline 406, Magnusson & Kligman test

Assessment STOT Specific target organ toxicity – single exposure

Pyrimethanil: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

Pyrimethanil did not cause any significant specific adverse effects or target organ toxicity in subchronic toxicity studies.

Assessment mutagenicity

Pyrimethanil was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Pyrimethanil was not carcinogenic in lifetime feeding studies in mice. Pyrimethanil caused at high dose levels an increased incidence of tumours in rats in the following organ(s): Thyroid. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

Assessment toxicity to reproduction

Pyrimethanil did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Pyrimethanil did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

This product is for experimental uses only.

Acute toxicity studies have not been performed on this product as formulated.

The information is derived from the properties of the individual components.

No further toxicological information is available.

No further toxicological information is available.

11.2 Information on other hazards

Endocrine disrupting properties



Print Date: 18.07.2024

SCALAVersion 2 / NZ

Revision Date: 18.07.2024

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

The substance/mixture does not contain components considered to have

Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

102000000850

Assessment

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 53 mg/l

Exposure time: 96 h

Toxicity to aquatic

EC50 (Daphnia magna (Water flea)) 10.4 mg/l

invertebrates

Exposure time: 48 h

Toxicity to aquatic plants IC50 (Raphidocelis subcapitata (freshwater green alga)) 16 mg/l

Growth rate; Exposure time: 72 h

12.2 Persistence and degradability

Biodegradability Pyrimethanil:

Not rapidly biodegradable

Koc Pyrimethanil: Koc: 301

12.3 Bioaccumulative potential

Bioaccumulation Pyrimethanil:

Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Pyrimethanil: Moderately mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Pyrimethanil: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological

information

No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods



SCALAVersion 2 / NZ

Revision Date: 18.07.2024

102000000850 Reint Date: 18.07.2024

Product Dispose of this product only by using according to the label, or at an

approved landfill or other approved facility.

Contaminated packaging Triple rinse containers. Recycle if possible. If allowed under local

authority, burn if circumstances, especially wind direction permit, otherwise crush and bury in an approved local authority facility. Do not

use container for any other purpose.

SECTION 14: TRANSPORT INFORMATION

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

ADR/RID/ADN

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PYRIMETHANIL SOLUTION)

14.3 Transport hazard class(es) 9
14.4 Packing group III
14.5 Environm. Hazardous Mark YES
Hazchem Code 3Z

IMDG

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PYRIMETHANIL SOLUTION)

14.3 Transport hazard class(es) 9
14.4 Packing group III
14.5 Marine pollutant YES

IATA

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PYRIMETHANIL SOLUTION)

14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environm. Hazardous Mark
YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture



SCALAVersion 2 / NZ

Revision Date: 18.07.2024

102000000850 Reint Date: 18.07.2024

Further information

HSNO approval-Nr. HSR000782

HSNO Controls See www.epa.govt.nz

ACVM Reg. P4900

ACVM Condition See www.foodsafety.govt.nz

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

Conc. Concentration

ECx Effective concentration to x %

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

EN European Standard EU European Union

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk (IBC Code) Inhibition concentration to x %

IMDG International Maritime Dangerous Goods

LCx Lethal concentration to x %

LDx Lethal dose to x %

ICx

LOEC/LOEL Lowest observed effect concentration/level

MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

TWA Time weighted average

UN United Nations

WHO World health organisation

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe products in terms of their safety requirements. The above details do not imply any guarantee concerning composition, properties or performance of the product.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.