

Teldor[®]

Net contents : 5 L

Fungicide

Claim statement: fungicide for the control of botrytis in grapes, boysenberries, strawberries, lemons, oranges and mandarins

Contains: 500 g/l fenhexamid in the form of a suspension concentrate

Registered pursuant to the ACVM Act 1997, No P7020
See www.foodsafety.govt.nz for registration conditions.

Approved pursuant to the HSNO Act 1996, No HSR000008
See www.epa.govt.nz for approval conditions



WARNING
KEEP OUT OF REACH OF CHILDREN
HSNO Classifications:

9.1D Harmful to aquatic life

PRECAUTIONS:

Read label before use

Do not eat, drink or smoke while using this product.

Remove protective clothing and wash hands and face thoroughly before meals and after work.

Avoid contact with the skin and eyes

Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area

Do not apply directly into or onto water

PERSONAL PROTECTION:

When handling, wear full protective clothing such as impervious gloves, respirator, waterproof hat, coat and trousers (worn outside rubber boots).

STORAGE: Store in original container tightly closed and in a locked dry, cool, well-ventilated area, away from foodstuffs.

SPILLS AND DISPOSAL: When dealing with spills wear personal protective clothing and equipment as described in the PERSONAL PROTECTION section.

Contain the spill by damming, recover spilt product by absorbing with sawdust or an inert absorbent material then transfer the recovered spilt material to a properly labelled drum. Deal with all spillages immediately. If contamination of drains, streams, watercourses, etc. is unavoidable, warn the local water authority.

Disposal: Dispose of this product only by using according to the label or at an approved landfill. Avoid contamination of any water supply with product or empty container.

Container Disposal: Triple rinse container and add residue to mixture. Take to an Agrecovery collection site.

FIRST AID:

If swallowed, do NOT induce vomiting. For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If skin contact occurs, remove contaminated clothing and flush skin with running water. If splashed in eyes, wash out immediately with water, if irritation persists get medical advice. If inhaled, move the victim to fresh air immediately.



A handwritten signature in blue ink, appearing to be 'T. J. ...', written over the bottom of the stamp.

14/12/2021

It is an offence to use this product on animals.

DIRECTIONS FOR USE:

MIXING: Half fill the spray tank with water, then pour in the required quantity of **Teldor®** with agitators running, then top up with water.

RESISTANCE MANAGEMENT

Group	17	Fungicide
-------	-----------	-----------

Teldor® contains fenhexamid from the SBI Class III mode of action (Group 17). Resistance to this insecticide and related products could develop in some pest situations from repeated use. To minimize this risk, use strictly in accordance with label instructions. Do not use more than 2 applications of Teldor in the same crop during the same season.

RECOMMENDATION:

Crop	Disease	Product Rates	Comments
Grapes	Botrytis	75 ml/100L or a minimum of 750 ml/ha	Make two applications at pre-brunch closure and veraison or at veraison and again 14 days later. Apply in sufficient water to achieve good coverage of the bunches
Boysenberries Strawberries	Botrytis	150 ml/100L or a minimum of 1.5 L/ha	Make two applications over the flowering period ensuring good coverage of the flowers
Lemons Oranges Mandarins	Botrytis	100 ml/100 L	Make two applications as a full cover spray to point of run-off at full open flowering

COMPATIBILITY:

Teldor is compatible with commonly used fungicides and insecticides.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

WITHHOLDING PERIOD:

Grapes21 days
 Boysenberries35 days
 Strawberries1 day
 Lemons and Oranges7 days
 Clementine/Satsuma Mandarins Do not apply after the end of flowering



[Signature]
14/12/2021

CONDITIONS OF SUPPLY: READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING. IF THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE UNOPENED.

To the extent permitted by law Bayer does not accept any liability or responsibility whatsoever for any loss, damage or injury whether direct, indirect or consequential howsoever arising in connection with these goods, including without limitation their storage, application, handling or use. Bayer does not make any warranties (express or implied) with respect to fitness for purpose, merchantable quality or any other matter.

To the extent only that Bayer is prevented by law from contracting out of the Consumer Guarantees Act, then these conditions apply subject to that Act. The Act shall not apply where these goods are acquired for business purposes.

Date of Manufacture
Batch No:

Teldor® is a registered trademark of the Bayer Group

Bayer

Registered to:
Bayer New Zealand
B:Hive Building
74 Tahoroto Road
Takapuna
Auckland 0622,
New Zealand

Ph. 0800 428 246
EMERGENCY RESPONSE SERVICE (24 hrs) 0800 734 607

