

SENCOR 600SC

Version 1 / NZ 102000016510 **1/10** Revision Date: 07.11.2017 Print Date: 07.11.2017

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	
Trade name	SENCOR 600SC
Product code (UVP)	79017286, 80899823
1.2 Relevant identified uses of	of the substance or mixture and uses advised against
Use	Herbicide
EPA-Nr.	HSR100969
1.3 Details of the supplier of	the safety data sheet
Supplier	Bayer New Zealand Limited 3 Argus Place, Hillcrest Auckland 0627 New Zealand
Telephone	0800 428 246
Telefax	(09) 441 8645
1.4 Emergency telephone no.	
Emergency Number	0800 734 607 (24hr)
Global Incident Response Hotline (24h)	+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classified as hazardous according to the criteria in the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001

- 6.1E H303
- May be harmful if swallowed.
- 6.9B
 H373 May cause damage to organs through prolonged or repeated exposure.
 9.1A
 H410 Very toxic to aquatic life with long lasting effects.
 9.2A
 H421 Very toxic to the soil environment.
 9.3B
 H432 Toxic to terrestrial vertebrates.

2.2 Label elements

Labelling in accordance with Hazardous Substances Identification Regulations 2001



SENCOR 600SC

Version 1 / NZ 102000016510 **2/10** Revision Date: 07.11.2017 Print Date: 07.11.2017

Hazard label for supply/use required.



Signal word: Warning

Hazard statements

H303	May be harmful if swallowed.
H373	May cause damage to organs through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.
H421	Very toxic to the soil environment.
H432	Toxic to terrestrial vertebrates.

Precautionary statements

P102 P308 + P311	Keep out of reach of children. IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.
P391	Collect spillage.
P501	Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Suspension concentrate (=flowable concentrate)(SC) Metribuzin 600 g/l

Hazardous components

Name	CAS-No.	Conc. [%]
Metribuzin	21087-64-9	52.17
Fatty alcohol ethoxylate	68131-39-5	>= 1 - < 2
1,2-Benzisothiazol-3(2H)-one	2634-33-5	>= 0.005 - < 0.05

Further information

Metribuzin 21087-64-9 M-Factor: 10 (acute), 10 (chronic)
--

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.

SENCOR 600SC Version 1 / NZ



Revision Date: 07.11.2017

3/10

Version 1 / NZ 102000016510	Revision Date: 07.11.2017 Print Date: 07.11.2017
Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. Get medical attention if irritation develops and persists.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.
4.2 Most important sympt	oms and effects, both acute and delayed
Symptoms	No symptoms known or expected.
4.3 Indication of any imme	ediate medical attention and special treatment needed
Treatment	Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.
Contact the National Poisor Dunedin. Phone 0800 POIS	ns and Hazardous Chemicals Information center in Dunedin, PO Box 913, SON (0800 764 766).

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable	High volume water jet
5.2 Special hazards arising from the substance or mixture	In the event of fire the following may be released:, Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Sulphur oxides, Nitrogen oxides (NOx)
5.3 Advice for firefighters	
Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.



SENCOR 600SC

Version 1 / NZ 102000016510 4/10 Revision Date: 07.11.2017 Print Date: 07.11.2017

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, pro	tective equipment and emergency procedures
Precautions	Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.
6.2 Environmental precautions	Do not allow to get into surface water, drains and ground water.
6.3 Methods and materials for	containment and cleaning up
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.
6.4 Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling	Use only in area provided with appropriate exhaust ventilation.
Hygiene measures	Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).
7.2 Conditions for safe stora	ge, including any incompatibilities
Requirements for storage areas and containers	Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from freezing.
Advice on common storage	Keep away from food, drink and animal feedingstuffs.
Suitable materials	HDPE (high density polyethylene)
7.3 Specific end use(s)	Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Metribuzin	21087-64-9	5 mg/m3 (TWA)	07 2011	NZ OEL
Metribuzin	21087-64-9	0.36 mg/m3 (SK-SEN)		OES BCS*
1,2-Propanediol	57-55-6	10 mg/m3	07 2011	NZ OEL



Version 1 / NZ 10200016510

5/10 Revision Date: 07.11.2017 Print Date: 07.11.2017

(Particulate.)		(TWA)		
1,2-Propanediol	57-55-6	474 mg/m3/150 ppm (TWA)	07 2011	NZ OEL
(Vapor and particulates.)		、 <i>、</i>		

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection	Respiratory protection is not required under anticipated circumstances of exposure. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.		
Hand protection	breakthrough time which ar Also take into consideration the product is used, such as contact time. Wash gloves when contami inside, when perforated or v	ions regarding permeability and e provided by the supplier of the gloves. In the specific local conditions under which is the danger of cuts, abrasion, and the inated. Dispose of when contaminated when contamination on the outside cannot requently and always before eating, the toilet. Nitrile rubber > 480 min > 0.4 mm Class 6 Protective gloves complying with EN 374.	
Eye protection	Wear goggles (conforming to EN166, Field of Use = 5 or equivalent)		
Skin and body protection	Wear standard coveralls and Category 3 Type 6 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.		

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	Liquid
Colour	white
Odour	strong, characteristic
рН	6.0 - 7.0 at 100 % (23 °C)

SENCOR 600SC

Version 1 / NZ 102000016510



6/10 Revision Date: 07.11.2017 Print Date: 07.11.2017

Flash point	>100 °C No flash point - Determination conducted up to the boiling point.
Ignition temperature	435 °C
Density	ca. 1.15 g/cm³ at 20 °C
Water solubility	suspensive
Partition coefficient: n- octanol/water	Metribuzin: log Pow: 1.6
Surface tension	30.9 mN/m at 25 °C Determined in the undiluted form.
Oxidizing properties	No oxidizing properties
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113
9.2 Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	
Thermal decomposition	from 175 °C, Heating rate: 0.3 K/min The value mentioned relates to the active ingredient.
10.2 Chemical stability	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects	
Acute oral toxicity	LD50 (Rat) > 2,000 mg/kg
Acute inhalation toxicity	LC50 (Rat) > 0.967 mg/l Exposure time: 4 h Determined in the form of a respirable aerosol. Highest attainable concentration.
Acute dermal toxicity	LD50 (Rat) > 2,000 mg/kg
Skin irritation	No skin irritation (Rabbit)
Eye irritation	No eye irritation (Rabbit)



SENCOR 600SC

Version 1 / NZ 10200016510

7/10 Revision Date: 07.11.2017 Print Date: 07.11.2017

Sensitisation

Non-sensitizing. (Mouse) OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment STOT Specific target organ toxicity – single exposure

Metribuzin: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

Metribuzin caused specific target organ toxicity in experimental animal studies in the following organ(s): Liver, Kidney.

Assessment mutagenicity

Metribuzin was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Metribuzin was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Metribuzin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Metribuzin is related to parental toxicity.

Assessment developmental toxicity

Metribuzin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Metribuzin are related to maternal toxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 74.6 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient.	
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 49.6 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient.	
Toxicity to aquatic plants	IC50 (Desmodesmus subspicatus (green algae)) 0.036 mg/l Growth rate; Exposure time: 72 h	
	EC50 (Lemna gibba (gibbous duckweed)) 0.0614 mg/l Growth rate	
12.2 Persistence and degradability		
Biodegradability	Metribuzin: Not rapidly biodegradable	
Кос	Metribuzin: Koc: 24 - 106	
12.3 Bioaccumulative potential		
Bioaccumulation	Metribuzin:	



SENCOR 600SC

Version	1 / NZ	
102000016	6510	

8/10 Revision Date: 07.11.2017 Print Date: 07.11.2017

	Does not bioaccumulate.	
12.4 Mobility in soil		
Mobility in soil	Metribuzin: Mobile in soils	
12.5 Results of PBT and vPvB assessment		
PBT and vPvB assessment	Metribuzin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).	
12.6 Other adverse effects		
Additional ecological information	No other effects to be mentioned.	

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product	Dispose of this product only by using according to the label, or at an approved landfill or other approved facility.
Contaminated packaging	Triple rinse containers. Recycle if possible. If allowed under local authority, burn if circumstances, especially wind direction permit, otherwise crush and bury in an approved local authority facility. Do not use container for any other purpose.

SECTION 14: TRANSPORT INFORMATION

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

ADR/RID/ADN

IATA 14.1 UN number	3082
14.5 Marine pollutant	YES
14.4 Packing group	III
14.3 Transport hazard class(es)	(METRIBUZIN SOLUTION) 9
14.2 Troper snipping name	N.O.S.
IMDG 14.1 UN number 14.2 Proper shipping name	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
Hazchem Code	3Z
14.4 Packing group 14.5 Environm. Hazardous Mark	III YES
14.3 Transport hazard class(es)	9
	N.O.S. (METRIBUZIN SOLUTION)
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
14.1 UN number	3082

SENCOR 600SC

Version 1 / NZ 102000016510 **9/10** Revision Date: 07.11.2017 Print Date: 07.11.2017

14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (METRIBUZIN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Further information

HSNO approval-Nr.	HSR100969
HSNO Controls	See www.epa.govt.nz
ACVM Reg.	P9098
ACVM Condition	See www.foodsafety.govt.nz

SECTION 16: OTHER INFORMATION

Reason for Revision:

Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients. Section 8: Exposure Controls / Personal Protection. Section 12. Ecological information. Section 16: Other Information.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous
	Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level





SENCOR 600SC

Version	1	/	ΝZ
10200001	65	10)

10/10 Revision Date: 07.11.2017 Print Date: 07.11.2017

MARPOL N.O.S.	MARPOL: International Convention for the prevention of marine pollution from ships Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe products in terms of their safety requirements. The above details do not imply any guarantee concerning composition, properties or performance of the product.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.