Movento[®] OD

Net contents : 1 L, 5 L, 10 L, 15 L

Insecticide

Claim statement: A systemic insecticide for the control of tomato/potato psyllid in field tomatoes and potatoes, and aphid in potatoes.

Contains:150 g/litre spirotetramat in the form of an oil dispersion.

Registered pursuant to the ACVM Act 1997, No P8257 See <u>www.foodsafety.govt.nz</u> for registration conditions.

Approved pursuant to the HSNO Act 1996, No HSR100414 See <u>www.epa.govt.nz</u> for approval conditions

DG Information



UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (SPIROTETRAMAT SOLUTION) PACKING GROUP III CLASS 9 HAZCHEM CODE 3Z

IN A TRANSPORT EMERGENCY DIAL 111 POLICE OR FIRE BRIGADE



WARNING HSNO Classifications:



Causes serious eye irritation. May cause an allergic skin reaction. May cause harm to breast-fed children. Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.

PRECAUTIONS:

Read label before use

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Do not eat, drink or smoke while using this product.

Avoid breathing mist/vapours/spray. Use only outdoors or in a well –ventilated area. Avoid contact during pregnancy/while nursing

Remove protective clothing and wash hands and face thoroughly before meals and after work.

Avoid contact with the skin and eyes

Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area

Do not apply directly into or onto water

PERSONAL PROTECTION:

When handling, wear full protective clothing such as impervious gloves, respirator, waterproof hat, coat and trousers (worn outside rubber boots).

STORAGE: Store in original container tightly closed and in a locked dry, cool, well-ventilated area, away from foodstuffs.

SPILLS AND DISPOSAL: When dealing with spills wear personal protective clothing and equipment as described in the PERSONAL PROTECTION section.

Contain the spill by damming, recover spilt product by absorbing with sawdust or an inert absorbent material then transfer the recovered spilt material to a properly labelled drum. Deal with all spillages immediately. If contamination of drains, streams, watercourses, etc. is unavoidable, warn the local water authority.

Disposal: Dispose of this product only by using according to the label or at an approved landfill. Avoid contamination of any water supply with product or empty container.

Container Disposal: Triple rinse container and add residue to mixture. Take to an Agrecovery collection site.

FIRST AID:

If swallowed, do NOT induce vomiting. For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If skin contact cours, remove contaminated clothing and flush skin with running water. If splashed increas wash out immediately with water, if irritation persists get medical advice. If increas, move the victim to fresh air immediately. **Movento OD** is a systemic (xylem- and phloem-mobile) insecticide belonging to the chemical class of ketoenols for the control of tomato/potato psyllid in field tomatoes and potatoes, and green peach aphid in potatoes.

It is an offence to use this product on animals.

DIRECTIONS FOR USE:

MIXING: Pour Movento OD directly into the spray tank with agitators running.

RESISTANCE MANAGEMENT	Group	23	Insecticide

Movento OD belongs to Mode of Action Group 23 (lipid synthesis inhibitors). Resistance to this insecticide could develop in some situations from repeated use. To minimize this risk, use strictly in accordance with label instructions. Do not apply more than 3 applications per season.

RECOMMENDATION:

Crop	Pest	Product Rates	Comments
Potatoes	Tomato/Potato psyllid Aphid	560mL/ha.	Make two applications early in the season at 7 day intervals as part of a programme, in sufficient water to ensure good coverage of all foliage. If large numbers of adult tomato/potato psyllid are present, add a knockdown insecticide.
Field Tomatoes	Tomato/Potato psyllid	560mL/ha	Make two applications early in the season at 7 day intervals as part of a programme, in sufficient water to ensure good coverage of all foliage. If large numbers of adult tomato/potato psyllid are present, add a knockdown insecticide

COMPATIBILITY:

Movento OD is compatible with most fungicides and insecticides. Do not mix with chlorothalanil and foliar fertilisers.

Do not mix with adjuvants until crop safety has been tested.

EPA RESTRICTIONS:

The maximum application rate for Movento OD is 560 ml product/ha (equivalent ai/ha), with a maximum of three applications with an interval of seven days. Movento OD shall be applied via ground-based methods only.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

WITHHOLDING PERIOD:

to 89

20/10/2021

CONDITIONS OF SUPPLY: READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING. IF THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE UNOPENED.

To the extent permitted by law Bayer does not accept any liability or responsibility whatsoever for any loss, damage or injury whether direct, indirect or consequential howsoever arising in connection with these goods, including without limitation their storage, application, handling or use. Bayer does not make any warranties (express or implied) with respect to fitness for purpose, merchantable quality or any other matter.

To the extent only that Bayer is prevented by law from contracting out of the Consumer Guarantees Act, then these conditions apply subject to that Act. The Act shall not apply where these goods are acquired for business purposes.

Date of Manufacture: Batch No:

Movento® is a registered trademark of the Bayer Group

Bayer

Registered to: Bayer New Zealand Limited B:Hive Building, 74 Tahoroto Road, Takapuna, Auckland 0622,

Ph. 0800 428 246 EMERGENCY RESPONSE SERVICE (24 hrs) 0800 734 607



