

It is an offence to use this product on animals.

DIRECTIONS FOR USE:

MIXING: Half fill the spray tank with water, then pour in the required quantity of **Vayego**[®] with agitators running, then top up with water.

Do not pre-mix.

RESISTANCE MANAGEMENT:

Group 28 Insecticide

Vayego[®] contains tetraniliprole, a diamide insecticide which belongs to the ryanodine receptor modulators mode of action (Group 28). Resistance to this insecticide and related products could develop in some insect pests from repeated use. Use strictly in accordance with label instructions. Avoid treating consecutive insect generations with same mode of action. Successive applications of **Vayego**[®] or other Group 28 insecticides are acceptable if they are used to treat a single insect generation. Do not rely on **Vayego**[®] for the control of resistant population. Do not use less than label rates.

RECOMMENDATIONS

Crop	Insect pest	Product Rate	Comments
Apples, pears and nashi	Codling moth, leafrollers and bronze beetle	15 ml/100L as a dilute application	<p>Make up to 2 applications per season. The first application should be made post-petal fall. A second application may be made as required, with a minimum of a 21 day interval and up to 14 days before harvest, as part of an IPM program. The second application should only be made if pest thresholds are exceeded.</p> <p>NB: Do not apply more than two consecutive applications of Group 28 Insecticides in any one season.</p> <p>For dilute application, spray to the point of run-off. Ensure complete coverage. For concentrate spraying adjust the rate accordingly.</p>
Stone fruit	Carpophilus beetle	15 mL/100 L	<p>Monitor stone fruit orchards for beetles as fruit approaches maturity and become susceptible to attack. Commence application before beetle populations reach damaging levels and re-apply treatments if necessary, at an interval of 14-21 days.</p> <p>If significant rainfall is predicted within 24 hours of application, ensure that the crop is dry at application and sufficient drying time is allowed prior to rainfall.</p> <p>Do not apply more than two applications per season in each crop.</p> <p>Apply in sufficient water, to the point of runoff.</p> <p>No adjuvant is necessary.</p>



PHYSICAL COMPATIBILITY

Vayego[®] is compatible with commonly used crop protection products, contact your local Bayer representative for further details.

RESTRICTIONS

Pome fruit: maximum 2 applications of 60 g ai/ha per year with a minimum of 21-day interval between applications.

Stone fruit: maximum 2 applications of 60 g ai/ha per year with a minimum of 14-day interval between applications.

Vayego must not be applied when wind speeds are less than 3 km/hr or more than 20 km/hr as measured at the application site.

Vayego can only be applied by ground-based methods.

Vayego can only be applied post-bloom

When applied on pome fruit and stone fruit, Vayego must not be applied within 25 m of any waterbody.

Use best available application technique to minimise off-target drift.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

WITHHOLDING PERIODS:

Re-entry intervals: Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after the application)

Apples, pears and nashi: 14 days before harvest.
Import tolerances for produce treated with Vayego may be pending in some countries. Consult with your exporter or Bayer NZ before applying Vayego to export crops.

Stone fruits: 4 days before harvest.
Import tolerances for produce treated with Vayego may be pending in some countries. Consult with your exporter or Bayer NZ before applying Vayego to export crops.



CONDITIONS OF SUPPLY: READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING. IF THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE UNOPENED.

To the extent permitted by law Bayer does not accept any liability or responsibility whatsoever for any loss, damage or injury whether direct, indirect or consequential howsoever arising in connection with these goods, including without limitation their storage, application, handling or use. Bayer does not make any warranties (express or implied) with respect to fitness for purpose, merchantable quality or any other matter.

To the extent only that Bayer is prevented by law from contracting out of the Consumer Guarantees Act, then these conditions apply subject to that Act. The Act shall not apply where these goods are acquired for business purposes.

Batch No:

Vayego® is a registered trademark of the Bayer Group

Bayer

Registered to:
Bayer New Zealand Limited
B:Hive Building
74 Tahoroto Road
Takapuna
Auckland 0622

Ph. 0800 428 246
EMERGENCY RESPONSE SERVICE (24 hrs) 0800 734 607



A handwritten signature in blue ink, appearing to be "John Zimmo".

28/07/2023