



Bayer SeedGrowth™

# FLUENCY AGENT

SEED FLOW ADDITIVE

**Chemical Name:** Ethene, homopolymer

**CAS-No.:** 9002-88-4

**Average % by weight:** 80%

**Net Contents:** 400 g

**READ THE LABEL AND ATTACHED BOOKLET BEFORE USING**

Do not over apply – use 1/8 cup per unit of seed

400 g will cover 50 units of seed

1/8 cup measuring scoop included in package

**Personal Protection Equipment:**

Wear long-sleeved shirt, long pants, shoes plus socks and protective gloves. Safety glasses with side shields are recommended.

Use respiratory protection if dust is raised.

**General Protection Measures:**

Eye wash facility and safety shower should be available.

Train employees in safe use of this product.

**CAUTION: Follow chemical manufacturer's precautions when handling parts coated with seed treatments. Use proper skin, eye and respiratory protection.**

**IMPORTANT!****Directions for Use:**

This product is effective at rates lower than is used by talc or talc/graphite blend lubricants.

Do not use more than 1/8 cups per 80,000 maize seeds, as this may result in reduced performance in equipment.

For best performance apply the fluency agent according to the rate per 80,000 maize seeds as specified below:

<b>Fluency Agent Rates</b>	
<b>Amount of Fluency Agent</b>	<b>Unit Size</b>
1/8 cup*	Per 80,000 maize seeds

\*1/8 cup equals 2 level teaspoons or 30 mL

Mix the fluency agent into the seed.

When filling large centre-filled seed hoppers, add the fluency agent to seed as it is filling the hopper to ensure even distribution.

**Storage:**

Keep containers tightly closed in a dry, cool and well ventilated place. Store in original container and out of reach of children.

**First Aid Measures:**

**Eye Contact:** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**Skin Contact:** Wash skin with soap and water.

**Inhalation:** Artificial respiration and/or oxygen may be necessary.

**Ingestion:** Get medical attention if symptoms occur.

**Accidental Release Measure:**

**Precautions:** If spilled, take caution, as material can cause surfaces to become very slippery.

**Methods of cleaning up:** Avoid dust formation. Sweep up or vacuum up spillage and collect in suitable container for disposal.

Clean contaminated floors and objects thoroughly, observing environmental regulations.

**Additional Advice:** Use personal protective equipment. Do not flush into surface water or sanitary sewer system.

For additional safety information, see current Bayer CropScience Safety Data Sheet.

Produced for:  
Bayer New Zealand Limited  
3 Argus Place,  
Hillcrest,  
Auckland 0627  
Ph. 0800 428 246  
EMERGENCY RESPONSE SERVICE (24hrs) 0800 734 607

**Bayer**