

SAFETY DATA SHEET



Artist

Version 1 / NZ
10200007487

1/11
Revision Date: 10.07.2019
Print Date: 10.07.2019

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name Artist
Product code (UVP) 05167620

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide
EPA-Nr. HSR101359

1.3 Details of the supplier of the safety data sheet

Supplier Bayer New Zealand Limited
 3 Argus Place, Hillcrest
 Auckland 0627
 New Zealand

Telephone 0800 428 246

Telefax (09) 441 8645

1.4 Emergency telephone no.

Emergency Number 0800 734 607 (24hr)
Global Incident Response +1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)
Hotline (24h)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classified as hazardous according to the criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2017 as amended

6.1D
H302 Harmful if swallowed.
H332 Harmful if inhaled.

6.5B
H317 May cause an allergic skin reaction.

6.9B
H373 May cause damage to organs through prolonged or repeated exposure.

9.1A
H410 Very toxic to aquatic life with long lasting effects.

9.2A
H421 Very toxic to the soil environment.

9.3C
H433 Harmful to terrestrial vertebrates.

SAFETY DATA SHEET



Artist

Version 1 / NZ
102000007487

2/11

Revision Date: 10.07.2019
Print Date: 10.07.2019

2.2 Label elements

Labelling in accordance with the Hazardous Substances (Safety Data Sheets) Notice 2017 as amended

Hazard label for supply/use required.



Signal word: Warning

Hazard statements

H302 + H332 Harmful if swallowed or if inhaled.
H317 May cause an allergic skin reaction.
H373 May cause damage to organs through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.
H421 Very toxic to the soil environment.
H433 Harmful to terrestrial vertebrates.

Precautionary statements

P102 Keep out of reach of children.
P103 Read label before use.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P330 Rinse mouth.
P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

May form explosible dust-air mixture if dispersed.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Water dispersible granules (WG)
Flufenacet/Metribuzin 24,0:17,5 % w/w

Hazardous components

Name	CAS-No.	Conc. [%]
Flufenacet	142459-58-3	24
Metribuzin	21087-64-9	17.5
Naphthalene and alkyl naphthalene sulphonic acids formaldehyde condensate, sodium salt	68425-94-5	> 1 – < 20
Citric acid	77-92-9	> 1 – < 20
Silica, amorphe	7631-86-9	> 1

Further information

Flufenacet	142459-58-3	M-Factor: 100 (acute), 100 (chronic)
------------	-------------	--------------------------------------

SAFETY DATA SHEET



Artist

Version 1 / NZ
10200007487

3/11

Revision Date: 10.07.2019
Print Date: 10.07.2019

Metribuzin	21087-64-9	M-Factor: 10 (acute), 10 (chronic)
------------	------------	------------------------------------

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Do NOT induce vomiting. Rinse mouth. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	The absorption of this product into the body may lead to the formation of methaemoglobine that, in sufficient concentration, causes cyanosis. Shortness of breath, Drowsiness, Headache, Tiredness, Dizziness, Nausea Symptoms and hazards refer to effects observed after intake of significant amounts of the active ingredient(s).
-----------------	---

4.3 Indication of any immediate medical attention and special treatment needed

Risks	Danger of formation of methaemoglobin.
Treatment	Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. In case of methaemoglobinemia, oxygen and specific antidotes (methylene blue/ toluidine blue) should be given.

Contact the National Poisons and Hazardous Chemicals Information center in Dunedin, PO Box 913, Dunedin. Phone 0800 POISON (0800 764 766).

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
-----------------	--

SAFETY DATA SHEET



Artist

Version 1 / NZ
10200007487

4/11

Revision Date: 10.07.2019
Print Date: 10.07.2019

Unsuitable	High volume water jet
5.2 Special hazards arising from the substance or mixture	In the event of fire the following may be released:, Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride, Carbon monoxide (CO), Nitrogen oxides (NOx), Sulphur oxides Accumulation of fine dust may entail the risk of a dust explosion in the presence of air.
5.3 Advice for firefighters	
Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid dust formation. Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment. Remove all sources of ignition.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Avoid dust formation. Use mechanical handling equipment. Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Avoid dust formation. Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion Dust may form explosive mixture in air. Keep away from heat and sources of ignition.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

SAFETY DATA SHEET



Artist

Version 1 / NZ
10200007487

5/11

Revision Date: 10.07.2019
Print Date: 10.07.2019

Requirements for storage areas and containers	Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from frost.
Advice on common storage	Keep away from food, drink and animal feedingstuffs.
Suitable materials	Combination of sheet metal and HDPE (high density polyethylene) HDPE (high density polyethylene)
7.3 Specific end use(s)	Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Flufenacet	142459-58-3	0.3 mg/m ³ (SK-SEN)		OES BCS*
Metribuzin	21087-64-9	5 mg/m ³ (TWA)	07 2011	NZ OEL
Metribuzin	21087-64-9	0.36 mg/m ³ (SK-SEN)		OES BCS*

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Wear respirator with a particle filter mask (protection factor 20) conforming to European Norm EN149FFP3 or EN140P3 or equivalent.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

SAFETY DATA SHEET



Artist

Version 1 / NZ
10200007487

6/11

Revision Date: 10.07.2019
Print Date: 10.07.2019

Skin and body protection	Wear standard coveralls and Category 3 Type 4 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.
General protective measures	If product is handled while not enclosed, and if contact may occur: Complete suit protecting against chemicals

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	water-dispersible granules
Colour	light brown
Odour	weak, characteristic
pH	3.0 - 4.0 (1 %) (23 °C) (deionized water)
Flammability (solid, gas)	The product is not highly flammable.
Auto-ignition temperature	279 °C
Minimum ignition energy	300 - 1,000 mJ
Dust explosion class	capable of causing a dust explosion (modified Hartmann tube)
Water solubility	dispersible
Partition coefficient: n-octanol/water	Flufenacet: log Pow: 3.2 Metribuzin: log Pow: 1.6
Impact sensitivity	Not impact sensitive.
Burning number	CN3 Local combustion without spreading (20 °C)
Oxidizing properties	No oxidizing properties
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113

Dust content

9.2 Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Thermal decomposition from 190 °C, Heating rate: 5 K/min, Decomposition energy: 87 kJ/kg

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions Incapable of deflagration
No dangerous reaction known under conditions of normal use.

SAFETY DATA SHEET



Artist

Version 1 / NZ
102000007487

7/11

Revision Date: 10.07.2019
Print Date: 10.07.2019

- 10.4 Conditions to avoid** Extremes of temperature and direct sunlight.
- 10.5 Incompatible materials** Store only in the original container.
- 10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity	LD50 (Rat) > 300 - < 500 mg/kg
Acute dermal toxicity	LD50 (Rat) > 2,000 mg/kg
Skin corrosion/irritation	No skin irritation (Rabbit)
Serious eye damage/eye irritation	Irritating to eyes. (Rabbit) The information is derived from the properties of the individual components.
Respiratory or skin sensitisation	Skin: Sensitising (Guinea pig) OECD Test Guideline 406, Magnusson & Kligman test Skin: Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Buehler test

Assessment STOT Specific target organ toxicity – single exposure

Flufenacet: Based on available data, the classification criteria are not met.
Metribuzin: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Flufenacet caused neurobehavioral effects and/or neuropathological changes in animal studies.
Metribuzin caused specific target organ toxicity in experimental animal studies in the following organ(s):
Liver, Kidney.

Assessment mutagenicity

Flufenacet was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Metribuzin was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Flufenacet was not carcinogenic in lifetime feeding studies in rats and mice.
Metribuzin was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Flufenacet did not cause reproductive toxicity in a two-generation study in rats.
Metribuzin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Metribuzin is related to parental toxicity.

Assessment developmental toxicity

Flufenacet caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Flufenacet are related to maternal toxicity.
Metribuzin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Metribuzin are related to maternal toxicity.

SAFETY DATA SHEET



Artist

Version 1 / NZ
102000007487

8/11

Revision Date: 10.07.2019
Print Date: 10.07.2019

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)) 5.84 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient flufenacet.

LC50 (Oncorhynchus mykiss (rainbow trout)) 74.6 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient metribuzin.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 30.9 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient flufenacet.

EC50 (Daphnia magna (Water flea)) 49.6 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient metribuzin.

Toxicity to aquatic plants

EC50 (Raphidocelis subcapitata (freshwater green alga)) 0.06059 mg/l
Exposure time: 72 h

12.2 Persistence and degradability

Biodegradability

Flufenacet:
Not rapidly biodegradable
Metribuzin:
Not rapidly biodegradable

Koc

Flufenacet: Koc: 202
Metribuzin: Koc: 24 - 106

12.3 Bioaccumulative potential

Bioaccumulation

Flufenacet: Bioconcentration factor (BCF) 71
Does not bioaccumulate.
Metribuzin:
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil

Flufenacet: Moderately mobile in soils
Metribuzin: Mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment

Flufenacet: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Metribuzin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

SAFETY DATA SHEET



Artist

Version 1 / NZ
102000007487

9/11

Revision Date: 10.07.2019
Print Date: 10.07.2019

Additional ecological information No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product Dispose of this product only by using according to the label, or at an approved landfill or other approved facility.

Contaminated packaging Triple rinse containers. Recycle if possible. If allowed under local authority, burn if circumstances, especially wind direction permit, otherwise crush and bury in an approved local authority facility. Do not use container for any other purpose.

SECTION 14: TRANSPORT INFORMATION

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

ADR/RID/ADN

14.1 UN number **3077**
14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (FLUFENACET, METRIBUZIN MIXTURE)
14.3 Transport hazard class(es) 9
14.4 Packaging Group III
14.5 Environm. Hazardous Mark YES
Hazchem Code 2Z

IMDG

14.1 UN number **3077**
14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (FLUFENACET, METRIBUZIN MIXTURE)
14.3 Transport hazard class(es) 9
14.4 Packaging Group III
14.5 Marine pollutant YES

IATA

14.1 UN number **3077**
14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (FLUFENACET, METRIBUZIN MIXTURE)
14.3 Transport hazard class(es) 9
14.4 Packaging Group III
14.5 Environm. Hazardous Mark YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

SAFETY DATA SHEET



Artist

Version 1 / NZ
10200007487

10/11

Revision Date: 10.07.2019
Print Date: 10.07.2019

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Further information

HSNO approval-Nr.	HSR101359
HSNO Controls	See www.epa.govt.nz
ACVM Reg.	P9555
ACVM Condition	See www.foodsafety.govt.nz

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC _x	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
IC _x	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LC _x	Lethal concentration to x %
LD _x	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe products in terms of their safety requirements. The above details do not imply any guarantee concerning composition, properties or performance of the product.

SAFETY DATA SHEET



Artist

Version 1 / NZ
102000007487

11/11

Revision Date: 10.07.2019
Print Date: 10.07.2019

Reason for Revision: Safety Data Sheet according to Regulation (EU) No. 2015/830.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.