

SAFETY DATA SHEET



GAUCHO

Version 1 / NZ
102000006405

1/10

Revision Date: 25.09.2017
Print Date: 02.11.2017

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name GAUCHO
Product code (UVP) 00815128

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide, Seed treatment
EPA-Nr. HSR000495

1.3 Details of the supplier of the safety data sheet

Supplier Bayer New Zealand Limited
3 Argus Place, Hillcrest
Auckland 0627
New Zealand
Telephone 0800 428 246
Telefax (09) 441 8645

1.4 Emergency telephone no.

Emergency Number 0800 734 607 (24hr)
Global Incident Response Hotline (24h) +1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classified as hazardous according to the criteria in the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001

6.1C
H301 Toxic if swallowed.
6.4A
H320 Causes eye irritation.
6.5B
H317 May cause an allergic skin reaction.
6.9B
H373 May cause damage to organs through prolonged or repeated exposure.
9.1A
H410 Very toxic to aquatic life with long lasting effects.
9.2A
H421 Very toxic to the soil environment.

SAFETY DATA SHEET



GAUCHO

Version 1 / NZ
102000006405

2/10

Revision Date: 25.09.2017
Print Date: 02.11.2017

9.3B
H432 Toxic to terrestrial vertebrates.

9.4A
H441 Very toxic to terrestrial invertebrates.

2.2 Label elements

Labelling in accordance with Hazardous Substances Identification Regulations 2001

Hazard label for supply/use required.



Signal word: Danger

Hazard statements

H301 Toxic if swallowed.
H320 Causes eye irritation.
H317 May cause an allergic skin reaction.
H373 May cause damage to organs through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.
H421 Very toxic to the soil environment.
H432 Toxic to terrestrial vertebrates.
H441 Very toxic to terrestrial invertebrates.

Precautionary statements

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/ physician.
P321 Specific treatment (see supplemental first aid instructions on this label).
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P391 Collect spillage.
P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Flowable concentrate for seed treatment (FS)
Imidacloprid 600 g/l

Hazardous components

Name	CAS-No.	Conc. [%]
Imidacloprid	138261-41-3	48
Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one	55965-84-9	> 0,0002 – < 0,0015

SAFETY DATA SHEET



GAUCHO

Version 1 / NZ
102000006405

3/10

Revision Date: 25.09.2017
Print Date: 02.11.2017

Glycerine	56-81-5	> 1
-----------	---------	-----

Further information

Imidacloprid	138261-41-3	M-Factor: 10 (acute), 10 (chronic)
--------------	-------------	------------------------------------

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	If large amounts are ingested, the following symptoms may occur: Dizziness, Abdominal pain, Nausea
-----------------	---

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	Treat symptomatically. Monitor: respiratory and cardiac functions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.
------------------	--

Contact the National Poisons and Hazardous Chemicals Information center in Dunedin, PO Box 913, Dunedin. Phone 0800 POISON (0800 764 766).

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable	Water spray, Carbon dioxide (CO ₂), Foam, Sand
-----------------	--

SAFETY DATA SHEET



GAUCHO

Version 1 / NZ
102000006405

4/10

Revision Date: 25.09.2017
Print Date: 02.11.2017

5.2 Special hazards arising from the substance or mixture	In the event of fire the following may be released:; Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NOx)
5.3 Advice for firefighters	
Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions	Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.
--------------------	---

6.2 Environmental precautions	Do not allow to get into surface water, drains and ground water.
--------------------------------------	--

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.
--------------------------------	---

6.4 Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.
--	---

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling	Use only in area provided with appropriate exhaust ventilation.
Hygiene measures	Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight.
Advice on common storage	Keep away from food, drink and animal feedingstuffs.
Suitable materials	HDPE (high density polyethylene)

SAFETY DATA SHEET



GAUCHO

Version 1 / NZ
102000006405

5/10

Revision Date: 25.09.2017
Print Date: 02.11.2017

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Imidacloprid	138261-41-3	0,7 mg/m ³ (TWA)		OES BCS*
Glycerine (Mist.)	56-81-5	10 mg/m ³ (TWA)	06 2016	NZ OEL

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Respiratory protection is not required under anticipated circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0,4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 4 suit.

If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

SAFETY DATA SHEET



GAUCHO

Version 1 / NZ
102000006405

6/10

Revision Date: 25.09.2017
Print Date: 02.11.2017

General protective measures If product is handled while not enclosed, and if contact may occur:
Complete suit protecting against chemicals

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	suspension
Colour	red
Odour	weak, characteristic
pH	5,0 - 8,0 at 100 % (23 °C)
Boiling point/boiling range	ca. 100 °C at 1.013 hPa
Flash point	No flash point - Determination conducted up to the boiling point.
Auto-ignition temperature	365 °C
Density	ca. 1,25 g/cm ³ at 20 °C
Water solubility	miscible
Partition coefficient: n-octanol/water	Imidacloprid: log Pow: 0,57
Oxidizing properties	No oxidizing properties
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113

9.2 Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Thermal decomposition Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No hazardous reactions when stored and handled according to prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous decomposition products No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

SAFETY DATA SHEET



GAUCHO

Version 1 / NZ
102000006405

7/10

Revision Date: 25.09.2017
Print Date: 02.11.2017

Acute oral toxicity	LD50 (Rat) > 300 - < 2.000 mg/kg
Acute inhalation toxicity	LC50 (Rat) > 1,86 mg/l Exposure time: 4 h Determined in the form of a respirable aerosol. Highest attainable concentration.
Acute dermal toxicity	LD50 (Rat) > 4.000 mg/kg
Skin irritation	No skin irritation (Rabbit)
Eye irritation	No eye irritation (Rabbit)
Sensitisation	Sensitising (Guinea pig) OECD Test Guideline 406, Buehler test

Assessment STOT Specific target organ toxicity – single exposure

Imidacloprid: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Imidacloprid did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity.

Assessment developmental toxicity

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Imidacloprid are related to maternal toxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 211 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient imidacloprid.
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 85 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient imidacloprid. EC50 (Chironomus riparius (non-biting midge)) 0,0552 mg/l Exposure time: 24 h The value mentioned relates to the active ingredient imidacloprid.

SAFETY DATA SHEET



GAUCHO

Version 1 / NZ
102000006405

8/10

Revision Date: 25.09.2017
Print Date: 02.11.2017

Chronic toxicity to aquatic invertebrates EC10 (Chironomus riparius (non-biting midge)): 2,09 µg/l
Exposure time: 28 d
The value mentioned relates to the active ingredient imidacloprid.

Toxicity to aquatic plants IC50 (Desmodesmus subspicatus (green algae)) > 10 mg/l
Growth rate; Exposure time: 72 h
The value mentioned relates to the active ingredient imidacloprid.

12.2 Persistence and degradability

Biodegradability Imidacloprid:
Not rapidly biodegradable

Koc Imidacloprid: Koc: 225

12.3 Bioaccumulative potential

Bioaccumulation Imidacloprid:
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Imidacloprid: Moderately mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Imidacloprid: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

Additional ecological information No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product Dispose of this product only by using according to the label, or at an approved landfill or other approved facility.

Contaminated packaging Triple rinse containers. Recycle if possible. If allowed under local authority, burn if circumstances, especially wind direction permit, otherwise crush and bury in an approved local authority facility. Do not use container for any other purpose.

SECTION 14: TRANSPORT INFORMATION

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

ADR/RID/ADN

14.1 UN number

14.2 Proper shipping name

3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(IMIDACLOPRID SOLUTION)

SAFETY DATA SHEET



GAUCHO

Version 1 / NZ
102000006405

9/10

Revision Date: 25.09.2017
Print Date: 02.11.2017

14.3 Transport hazard class(es) 9
14.4 Packing group III
14.5 Environm. Hazardous Mark YES
Hazchem Code 3Z

IMDG

14.1 UN number **3082**
14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(IMIDACLOPRID SOLUTION)
14.3 Transport hazard class(es) 9
14.4 Packing group III
14.5 Marine pollutant YES

IATA

14.1 UN number **3082**
14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(IMIDACLOPRID SOLUTION)
14.3 Transport hazard class(es) 9
14.4 Packing group III
14.5 Environm. Hazardous Mark YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Further information

HSNO approval-Nr. HSR000495
HSNO Controls See www.epa.govt.nz
ACVM Reg. P4200
ACVM Condition See www.foodsafety.govt.nz

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE Acute toxicity estimate
CAS-Nr. Chemical Abstracts Service number
Conc. Concentration

SAFETY DATA SHEET



GAUCHO

Version 1 / NZ
102000006405

10/10

Revision Date: 25.09.2017
Print Date: 02.11.2017

ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe products in terms of their safety requirements. The above details do not imply any guarantee concerning composition, properties or performance of the product.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.
--