

SAFETY DATA SHEET



PONCHO VOTIVO

Version 2 / NZ
102000027015

1/11
Revision Date: 21.04.2018
Print Date: 30.04.2018

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name PONCHO VOTIVO
Product code (UVP) 81735050, 81006334

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Seed treatment
 Insecticide

EPA-Nr. HSR101149

1.3 Details of the supplier of the safety data sheet

Supplier Bayer New Zealand Limited
 3 Argus Place, Hillcrest
 Auckland 0627
 New Zealand

Telephone 0800 428 246

Telefax (09) 441 8645

1.4 Emergency telephone no.

Emergency Number 0800 734 607 (24hr)

Global Incident Response +1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)
Hotline (24h)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classified as hazardous according to the criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2017 as amended

6.1D
H302 Harmful if swallowed.

6.5A
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

6.5B
H317 May cause an allergic skin reaction.

6.9B
H373 May cause damage to organs through prolonged or repeated exposure if swallowed.

9.1A
H410 Very toxic to aquatic life with long lasting effects.

9.2B

SAFETY DATA SHEET



PONCHO VOTIVO

Version 2 / NZ
102000027015

2/11
Revision Date: 21.04.2018
Print Date: 30.04.2018

- H422 Toxic to the soil environment.
9.3C
H433 Harmful to terrestrial vertebrates.
9.4A
H441 Very toxic to terrestrial invertebrates.

2.2 Label elements

Labelling in accordance with the Hazardous Substances (Safety Data Sheets) Notice 2017 as amended

Hazard label for supply/use required.



Signal word: Danger

Hazard statements

- H302 Harmful if swallowed.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317 May cause an allergic skin reaction.
H373 May cause damage to organs through prolonged or repeated exposure if swallowed.
H410 Very toxic to aquatic life with long lasting effects.
H422 Toxic to the soil environment.
H433 Harmful to terrestrial vertebrates.
H441 Very toxic to terrestrial invertebrates.

Precautionary statements

- P102 Keep out of reach of children.
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P304 + P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.
P391 Collect spillage.
P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Flowable concentrate for seed treatment (FS)
Bacillus firmus (Strain I-1582): $\geq 8.50E+09$ CFU/mL + Clothianidin 508 g/L

Hazardous components

Name	CAS-No.	Conc. [%]
Clothianidin	210880-92-5	39.7

SAFETY DATA SHEET



PONCHO VOTIVO

Version 2 / NZ
102000027015

3/11
Revision Date: 21.04.2018
Print Date: 30.04.2018

Bacillus firmus (Strain I-1582)		8.0
1,2-Benzisothiazol-3(2H)-one	2634-33-5	> 0.005 – < 0.05
Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one	55965-84-9	> 0.0002 – < 0.0015
Glycerine	56-81-5	> 1
1,2-Propanediol	57-55-6	> 1

Further information

Clothianidin	210880-92-5	M-Factor: 10 (acute), 10 (chronic)
--------------	-------------	------------------------------------

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.

Contact the National Poisons and Hazardous Chemicals Information center in Dunedin, PO Box 913, Dunedin. Phone 0800 POISON (0800 764 766).

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Water spray, Foam, Carbon dioxide (CO₂), Sand
Unsuitable None known.

SAFETY DATA SHEET



PONCHO VOTIVO

Version 2 / NZ
102000027015

4/11

Revision Date: 21.04.2018
Print Date: 30.04.2018

5.2 Special hazards arising from the substance or mixture	In the event of fire the following may be released: Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NOx), Sulphur oxides
5.3 Advice for firefighters	
Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation. Handle and open container in a manner as to prevent spillage.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Store at room temperature. Protect from frost.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

German storage class 12 Non Combustible Liquids

SAFETY DATA SHEET



PONCHO VOTIVO

Version 2 / NZ
102000027015

5/11
Revision Date: 21.04.2018
Print Date: 30.04.2018

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Clothianidin	210880-92-5	2.8 mg/m ³ (TWA)		OES BCS*
Bacillus firmus (Strain I-1582)		1x10 ⁷ CFU/m ³ (TWA)		OES BCS*
Glycerine (Mist.)	56-81-5	10 mg/m ³ (TWA)	06 2016	NZ OEL
1,2-Propanediol (Vapor and particulates.)	57-55-6	474 mg/m ³ /150 ppm (TWA)	07 2011	NZ OEL
1,2-Propanediol (Particulate.)	57-55-6	10 mg/m ³ (TWA)	07 2011	NZ OEL

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Respiratory protection is not required under anticipated circumstances of exposure.
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.
Material Nitrile rubber
Rate of permeability > 480 min
Glove thickness > 0.4 mm
Protective index Class 6
Directive Protective gloves complying with EN 374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

SAFETY DATA SHEET



PONCHO VOTIVO

Version 2 / NZ
102000027015

6/11
Revision Date: 21.04.2018
Print Date: 30.04.2018

Skin and body protection Wear standard coveralls and Category 3 Type 6 suit.
If there is a risk of significant exposure, consider a higher protective type suit.
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.
If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	Liquid
Colour	beige
Odour	characteristic
pH	5.0 - 8.0 at 100 % (23 °C)
Flash point	> 99 °C Material heated to 100 °C – no flash point in the liquid state.
Density	1.28 g/cm ³ at 20 °C
Water solubility	dispersible
Partition coefficient: n-octanol/water	Clothianidin: log Pow: 0.9
Viscosity, dynamic	500 - 850 mPa.s at 25 °C 280 - 480 mPa.s at 20 °C Velocity gradient 20 /s 170 - 320 mPa.s at 20 °C Velocity gradient 100 /s

9.2 Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Thermal decomposition Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No hazardous reactions when stored and handled according to prescribed instructions.

SAFETY DATA SHEET



PONCHO VOTIVO

Version 2 / NZ
102000027015

7/11
Revision Date: 21.04.2018
Print Date: 30.04.2018

- 10.4 Conditions to avoid** Extremes of temperature and direct sunlight.
- 10.5 Incompatible materials** Store only in the original container.
- 10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity	LD50 (Rat) 2,000 mg/kg
Acute inhalation toxicity	LC50 (Rat) > 2.03 mg/l Exposure time: 4 h Determined in the form of a respirable aerosol. Highest attainable concentration.
Acute dermal toxicity	LD50 (Rat) > 5,000 mg/kg
Skin irritation	Slight irritant effect - does not require labelling. (Rabbit)
Eye irritation	Slight irritant effect - does not require labelling. (Rabbit)
Sensitisation	Non-sensitizing. (Mouse) OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment STOT Specific target organ toxicity – single exposure

Clothianidin: Based on available data, the classification criteria are not met.
Bacillus firmus: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Clothianidin did not cause specific target organ toxicity in experimental animal studies.
Bacillus firmus did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Clothianidin was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.
Bacillus firmus: Test not required for microorganisms.

Assessment carcinogenicity

Clothianidin was not carcinogenic in lifetime feeding studies in rats and mice.
Bacillus firmus: Test not required for microorganisms.

Assessment toxicity to reproduction

Clothianidin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Clothianidin is related to parental toxicity.
Bacillus firmus: Test not required for microorganisms.

Assessment developmental toxicity

Clothianidin did not cause developmental toxicity in rats.
Clothianidin caused developmental toxicity in rabbits only at dose levels toxic to the dams. The developmental effects seen with Clothianidin are related to maternal toxicity.
Bacillus firmus: Test not required for microorganisms.

SAFETY DATA SHEET



PONCHO VOTIVO

Version 2 / NZ
102000027015

8/11
Revision Date: 21.04.2018
Print Date: 30.04.2018

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) > 104.2 mg/l Exposure time: 96 h
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) > 40 mg/l Exposure time: 48 h EC50 (Chironomus riparius (non-biting midge)) 0.029 mg/l Exposure time: 48 h
Chronic toxicity to aquatic invertebrates	NOEC (Daphnia (water flea)): 0.12 mg/l Exposure time: 21 d EC15 (Chironomus riparius (non-biting midge)): 0.00072 mg/l Exposure time: 28 d
Toxicity to aquatic plants	EC50 (Raphidocelis subcapitata (freshwater green alga)) > 120 mg/l Growth rate; Exposure time: 72 h EC50 (Lemna gibba (gibbous duckweed)) > 121 mg/l Exposure time: 14 d

12.2 Persistence and degradability

Biodegradability	Clothianidin: Not rapidly biodegradable Bacillus firmus: Evaluation of biodegradability is not relevant for micro-organisms.
-------------------------	---

Koc	Clothianidin: Koc: 84 - 345
------------	-----------------------------

12.3 Bioaccumulative potential

Bioaccumulation	Clothianidin: Does not bioaccumulate. Bacillus firmus: Evaluation of bioaccumulation is not relevant for micro-organisms.
------------------------	--

12.4 Mobility in soil

Mobility in soil	Clothianidin: Moderately mobile in soils Bacillus firmus: Evaluation of mobility in soil is not relevant for micro-organisms.
-------------------------	--

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment	Clothianidin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Bacillus firmus: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
--------------------------------	---

SAFETY DATA SHEET



PONCHO VOTIVO

Version 2 / NZ
102000027015

9/11
Revision Date: 21.04.2018
Print Date: 30.04.2018

12.6 Other adverse effects

Additional ecological information No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product Dispose of this product only by using according to the label, or at an approved landfill or other approved facility.

Contaminated packaging Triple rinse containers. Recycle if possible. If allowed under local authority, burn if circumstances, especially wind direction permit, otherwise crush and bury in an approved local authority facility. Do not use container for any other purpose.

SECTION 14: TRANSPORT INFORMATION

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

ADR/RID/ADN

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CLOTHIANIDIN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES
Hazchem Code	3Z

IMDG

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CLOTHIANIDIN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Marine pollutant	YES

IATA

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CLOTHIANIDIN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

SAFETY DATA SHEET



PONCHO VOTIVO

Version 2 / NZ
102000027015

10/11
Revision Date: 21.04.2018
Print Date: 30.04.2018

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Further information

HSNO approval-Nr.	HSR101149
HSNO Controls	See www.epa.govt.nz
ACVM Reg.	P9176
ACVM Condition	See www.foodsafety.govt.nz

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe products in terms of their safety requirements. The above details do not imply any guarantee concerning composition, properties or performance of the product.

SAFETY DATA SHEET



PONCHO VOTIVO

Version 2 / NZ
102000027015

11/11
Revision Date: 21.04.2018
Print Date: 30.04.2018

Changes since the last version are highlighted in the margin. This version replaces all previous versions.