

**Calypso**Version 1 / NZ
Revision Date: 19.09.2017

102000007569 Revision Date: 19.09.2017
Print Date: 28.09.2017

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name Calypso
Product code (UVP) 05302064

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide EPA-Nr. HSR000715

1.3 Details of the supplier of the safety data sheet

**Supplier** Bayer New Zealand Limited

3 Argus Place, Hillcrest

Auckland 0627 New Zealand

**Telephone** 0800 428 246

Telefax (09) 441 8645

1.4 Emergency telephone no.

**Emergency Number** 0800 734 607 (24hr)

**Global Incident Response** 

Hotline (24h)

+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

## **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1 Classification of the substance or mixture

Classified as hazardous according to the criteria in the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001

6.1D

H302 Harmful if swallowed.

6.7B

H351 Suspected of causing cancer.

6.8B

H361 Suspected of damaging fertility or the unborn child.

6.9B

H373 May cause damage to organs through prolonged or repeated exposure.

9.1A

H410 Very toxic to aquatic life with long lasting effects.

9.2C

H423 Harmful to the soil environment.



 Calypso
 2/10

 Version 1 / NZ
 Revision Date: 19.09.2017

 102000007569
 Print Date: 28.09.2017

9.3B

H432 Toxic to terrestrial vertebrates.

9.4C

H443 Harmful to terrestrial invertebrates.

#### 2.2 Label elements

# Labelling in accordance with Hazardous Substances Identification Regulations 2001

Hazard label for supply/use required.



# Signal word: Warning

#### **Hazard statements**

H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

H423 Harmful to the soil environment.
 H432 Toxic to terrestrial vertebrates.
 H443 Harmful to terrestrial invertebrates.

# **Precautionary statements**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local regulation.

#### 2.3 Other hazards

No other hazards known.

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2 Mixtures

#### **Chemical nature**

Suspension concentrate (=flowable concentrate)(SC)

Thiacloprid 480 g/l

#### **Hazardous components**

Name	CAS-No.	Conc. [%]
Thiacloprid	111988-49-9	40,3
1,2-Benzisothiazol-3(2H)-one	2634-33-5	> 0,01 - < 0,05
Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one	55965-84-9	> 0,0002 - < 0,0015



 Calypso

 Version 1 / NZ
 Revision Date: 19.09.2017

 102000007569
 Print Date: 28.09.2017

Urea 57-13-6 > 1

**Further information** 

Thiacloprid 111988-49-9 M-Factor: 100 (acute), 100 (chronic)

## **SECTION 4: FIRST AID MEASURES**

## 4.1 Description of first aid measures

General advice Move out of dangerous area. Place and transport victim in stable

position (lying sideways). Remove contaminated clothing immediately

and dispose of safely.

**Inhalation** Move to fresh air. Keep patient warm and at rest. Call a physician or

poison control center immediately.

**Skin contact** Wash off thoroughly with plenty of soap and water, if available with

polyethyleneglycol 400, subsequently rinse with water. If symptoms

persist, call a physician.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation

develops and persists.

**Ingestion** Rinse mouth. Do NOT induce vomiting. Call a physician or poison

control center immediately.

## 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** If large amounts are ingested, the following symptoms may occur:

Nausea, Vomiting, Diarrhoea, Salivation, Headache, Dizziness, Confusion, Restlessness, Bradycardia, Tachycardia, Coma,

Hypotension, Respiratory paralysis

Symptoms and hazards refer to effects observed after intake of

significant amounts of the active ingredient(s).

## 4.3 Indication of any immediate medical attention and special treatment needed

**Treatment** Treat symptomatically. Monitor: respiratory and cardiac functions.

Oxygen or artificial respiration if needed. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.

Contact the National Poisons and Hazardous Chemicals Information center in Dunedin, PO Box 913, Dunedin. Phone 0800 POISON (0800 764 766).



**Calypso**Version 1 / NZ
Revision Date: 19.09.2017

102000007569 Revision Date: 19.09.2017
Print Date: 28.09.2017

#### **SECTION 5: FIREFIGHTING MEASURES**

5.1 Extinguishing media

Suitable Water spray, Carbon dioxide (CO2), Foam, Sand

5.2 Special hazards arising from the substance or

from the substance or mixture

5.3 Advice for firefighters

Special protective equipment for firefighters

Further information

In the event of fire the following may be released:, Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NOx), Sulphur oxides

In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

Contain the spread of the fire-fighting media. Do not allow run-off from

fire fighting to enter drains or water courses.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

## 6.1 Personal precautions, protective equipment and emergency procedures

**Precautions** Avoid contact with spilled product or contaminated surfaces. Use

personal protective equipment.

6.2 Environmental

precautions

Do not allow to get into surface water, drains and ground water.

## 6.3 Methods and materials for containment and cleaning up

**Methods for cleaning up**Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in

suitable, closed containers for disposal.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

#### **SECTION 7: HANDLING AND STORAGE**

#### 7.1 Precautions for safe handling

Advice on safe handling Us

Use only in area provided with appropriate exhaust ventilation.

**Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes

separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be

destroyed (burnt).

# 7.2 Conditions for safe storage, including any incompatibilities



 Calypso

 Version 1 / NZ
 Revision Date: 19.09.2017

 102000007569
 Print Date: 28.09.2017

Requirements for storage areas and containers

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized

persons only. Keep away from direct sunlight.

Advice on common storage

Keep away from food, drink and animal feedingstuffs.

Suitable materials 7.3 Specific end use(s) HDPE (high density polyethylene)
Refer to the label and/or leaflet.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

## 8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Thiacloprid	111988-49-9	0,34 mg/m3 (TWA)		OES BCS*
Urea	57-13-6	10 mg/m3 (TWA)		OES BCS*

<sup>\*</sup>OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

## 8.2 Exposure controls

#### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection** 

If product is handled while not enclosed, and if contact may occur: Wear respirator with an organic vapours and gas filter mask (protection factor 10) conforming to EN140 type A or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

#### Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating.

drinking, smoking or using the toilet.

Material Nitrile rubber
Rate of permeability > 480 min
Glove thickness > 0,4 mm
Protective index Class 6

Directive Protective gloves complying with EN

374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 4 suit.

If there is a risk of significant exposure, consider a higher protective

type suit.



 Calypso

 Version 1 / NZ
 Revision Date: 19.09.2017

 102000007569
 Print Date: 28.09.2017

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and

should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully

remove and dispose of as advised by manufacturer.

**General protective measures** If product is handled while not enclosed, and if contact may occur:

Complete suit protecting against chemicals

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1 Information on basic physical and chemical properties

Form suspension

Colour white to light beige
Odour weak, characteristic

**pH** 6,5 - 8,5 at 100 % (23 °C)

Boiling point/boiling range ca. 100 °C

**Flash point** No flash point - Determination conducted up to the boiling point.

**Density** ca. 1,19 g/cm³ at 20 °C

Water solubility miscible

Partition coefficient: n-

octanol/water

Thiacloprid: log Pow: 1,26 at 20 °C

**Explosivity** Not explosive

92/69/EEC, A.14 / OECD 113

**9.2 Other information** Further safety related physical-chemical data are not known.

## **SECTION 10: STABILITY AND REACTIVITY**

10.1 Reactivity

**Thermal decomposition** Stable under normal conditions.

**10.2 Chemical stability** Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.

**10.5 Incompatible materials** Store only in the original container.

10.6 Hazardous

decomposition products

No decomposition products expected under normal conditions of use.



**Calypso**Version 1 / NZ
Revision Date: 19.09.2017

102000007569 Print Date: 28.09.2017

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

## 11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 300 - < 500 mg/kg
Acute inhalation toxicity LC50 (Rat) > 0,989 - < 2,199 mg/l

Exposure time: 4 h

Determined in the form of a respirable aerosol.

Irritating to respiratory system.

Acute dermal toxicityLD50 (Rat) > 4.000 mg/kgSkin irritationNo skin irritation (Rabbit)Eye irritationNo eye irritation (Rabbit)

**Sensitisation** Non-sensitizing. (Guinea pig)

OECD Test Guideline 406, Buehler test

Sensitising (Guinea pig)

OECD Test Guideline 406, Magnusson & Kligman test

#### Assessment STOT Specific target organ toxicity - single exposure

Thiacloprid: May cause drowsiness or dizziness.

#### Assessment STOT Specific target organ toxicity – repeated exposure

Thiacloprid did not cause specific target organ toxicity in experimental animal studies.

## **Assessment mutagenicity**

Thiacloprid was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Thiacloprid caused at high dose levels an increased incidence of tumours in rats in the following organ(s): uterus, Thyroid.

Thiacloprid caused at high dose levels an increased incidence of tumours in mice in the following organ(s): ovaries. The tumours seen with Thiacloprid were caused through a non-genotoxic mechanism, which is not relevant at low doses. The mechanism that triggers tumours in rodents is not relevant for the low exposures encountered under normal use conditions.

## Assessment toxicity to reproduction

Thiacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. Thiacloprid caused difficulties in parturition in rats. The mechanism of action for this effect is not considered to be relevant to man.

# Assessment developmental toxicity

Thiacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Thiacloprid are related to maternal toxicity.

# Aspiration hazard

Based on available data, the classification criteria are not met.

## **SECTION 12: ECOLOGICAL INFORMATION**

# 12.1 Toxicity

**Toxicity to fish** LC50 (Lepomis macrochirus (Bluegill sunfish)) 80,7 mg/l



 8/10

 Version 1 / NZ
 Revision Date: 19.09.2017

 102000007569
 Print Date: 28.09.2017

Exposure time: 96 h

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) >= 85,1 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient.

LC50 (Chironomus riparius (non-biting midge)) 0,032 mg/l

Exposure time: 24 h

Toxicity to aquatic plants IC50 (Desmodesmus subspicatus (green algae)) 96,7 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient.

12.2 Persistence and degradability

Biodegradability Thiacloprid:

Not rapidly biodegradable

**Koc** Thiacloprid: Koc: 615

12.3 Bioaccumulative potential

**Bioaccumulation** Thiacloprid:

Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Thiacloprid: Slightly mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Thiacloprid: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

Additional ecological

information

No other effects to be mentioned.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

**Product** Dispose of this product only by using according to the label, or at an

approved landfill or other approved facility.

Contaminated packaging Triple rinse containers. Recycle if possible. If allowed under local

authority, burn if circumstances, especially wind direction permit, otherwise crush and bury in an approved local authority facility. Do not

use container for any other purpose.

## **SECTION 14: TRANSPORT INFORMATION**

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.



Calypso 9/10

 Version 1 / NZ
 Revision Date: 19.09.2017

 102000007569
 Print Date: 28.09.2017

ADR/RID/ADN

14.1 UN number **2902** 

14.2 Proper shipping name PESTICIDE, LIQUID, TOXIC, N.O.S.

(THIACLOPRID SOLUTION)

14.3 Transport hazard class(es)6.114.4 Packing groupIII14.5 Environm. Hazardous MarkYESHazchem Code2X

**IMDG** 

14.1 UN number 2902

14.2 Proper shipping name PESTICIDE, LIQUID, TOXIC, N.O.S.

(THIACLOPRID SOLUTION)

14.3 Transport hazard class(es)
14.4 Packing group
14.5 Marine pollutant
YES

**IATA** 

14.1 UN number **2902** 

14.2 Proper shipping name PESTICIDE, LIQUID, TOXIC, N.O.S.

(THIACLOPRID SOLUTION)

14.3 Transport hazard class(es)14.4 Packing group14.5 Environm. Hazardous MarkNO

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

#### **SECTION 15: REGULATORY INFORMATION**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

# **Further information**

HSNO approval-Nr. HSR000715

HSNO Controls See www.epa.govt.nz

ACVM Reg. P5664

ACVM Condition See www.foodsafety.govt.nz

## **SECTION 16: OTHER INFORMATION**

## Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE Acute toxicity estimate



 Calypso

 Version 1 / NZ
 Revision Date: 19.09.2017

 102000007569
 Print Date: 28.09.2017

CAS-Nr. Chemical Abstracts Service number

Conc. Concentration

ECx Effective concentration to x %

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

EN European Standard EU European Union

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk (IBC Code) Inhibition concentration to x %

IMDG International Maritime Dangerous Goods

LCx Lethal concentration to x %

LDx Lethal dose to x %

**IC**x

LOEC/LOEL Lowest observed effect concentration/level

MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

TWA Time weighted average

UN United Nations

WHO World health organisation

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe products in terms of their safety requirements. The above details do not imply any guarantee concerning composition, properties or performance of the product.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.